

Digital Infrared Imaging, Inc. (DII)



**SIGCOM, Inc.
EQUIPMENT PRICELIST
SIN 58-5**

Part Number	Product Description	GSA Net Price	Warranty	PP
1100010	51um Detector, 25mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100020	51um Detector, 50mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100040	51um Detector, 100mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100320	25um Detector, 50mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100340	25um Detector, 100mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100410	37.5um Detector, 25mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100420	37.5um Detector, 50mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100440	37.5um Detector, 100mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, 15 ft. ICC cable		1 Year	US
1100500	DI-9800s, 25um Detector, 30/90mm Lens, RS-232 Interface, with 6 ft. power supply, 6 ft. BNC video cable, and 15 ft. ICC cable.		1 Year	US
1230100	51um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).		1 Year	US
1230110	51um Detector, 50mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).		1 Year	US
1230130	51um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).		1 Year	US
1200500	DI-5000 LRF, 51um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).		1 Year	US
1200030	DI-5000 LRF, 51um Detector, 50mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).		1 Year	US
1200060	DI-5000, 51um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).		1 Year	US
1200070	DI-5000 LRF, 51um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).		1 Year	US
1200520	DI-5000 Pelco, 51um Detector, 25mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).		1 Year	US

1200300	DI-5000 Pelco, 51um Detector, 50mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200320	DI-5000 Pelco, 51um Detector, 100mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200360	DI-5000 MRTI, 51um Detector, 100mm Lens, RS-422 Interface, TASS Protocol, Joystick Controller Unit, 6ft. power supply, 6ft. BNC video cable, and 15 ft. ICC cable - IBDSS Configuration	1 Year	US
1200110	51um Detector, 30/90mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1230330	37.5um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1230250	37.5um Detector, 50mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1230260	37.5um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1200560	DI-5000 Pelco, 37.5um Detector, 25mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200460	DI-5000 Pelco, 37.5um Detector, 50mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200470	DI-5000 Pelco, 37.5um Detector, 100mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1230210	25um Detector, 50mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1230220	25um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1200420	DI-5000 Pelco, 25um Detector, 50mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200430	DI-5000 Pelco, 25um Detector, 100mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200500	DI-5000 LRF, 51um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200520	DI-5000 Pelco, 51um Detector, 25mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200530	DI-5000, 37.5um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200560	DI-5000 Pelco, 37.5um Detector, 25mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US

1230150	25um Detector, 30/90mm Lens, RS-422 Interface, DII Protocol, with power supply, 6 ft. BNC video cable, 15 ft. ICC cable, and IP Network Adapter (Joystick Control Unit not included).	1 Year	US
1200130	DI-7000 (LRF), 25um Detector, 30/90mm Lens, RS-422 Interface, DII Protocol, with power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200140	DI-7000 (Pelco), 25um Detector, 30/90mm Lens, RS-422 Interface, Pelco Protocol with power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200160	DI-7000 WSTI, 25um, 30/90mm Lens, RS-422 Interface, TASS Protocol, with Joystick Controller Unit, power supply, 6 ft. BNC video cable, and 15 ft. ICC cable - IBDSS Configuration	1 Year	US
1200300	DI-5000 Pelco, 51um Detector, 50mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200320	DI-5000 Pelco, 51um Detector, 100mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200360	DI-5000 MRTI, 51um Detector, 100mm Lens, RS-422 Interface, TASS Protocol, Joystick Controller Unit, 6ft. power supply, 6ft. BNC video cable, and 15 ft. ICC cable - IBDSS Configuration	1 Year	US
1200400	DI-5000, 25um Detector, 50mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200410	DI-5000, 25um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200420	DI-5000 Pelco, 25um Detector, 50mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200430	DI-5000 Pelco, 25um Detector, 100mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200440	DI-5000, 37.5um Detector, 50mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200450	DI-5000, 37.5um Detector, 100mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200460	DI-5000 Pelco, 37.5um Detector, 50mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200470	DI-5000 Pelco, 37.5um Detector, 100mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200500	DI-5000 LRF, 51um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200520	DI-5000 Pelco, 51um Detector, 25mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1200530	DI-5000, 37.5um Detector, 25mm Lens, RS-422 Interface, DII Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US

1200560	DI-5000 Pelco, 37.5um Detector, 25mm Lens, RS-422 Interface, Pelco Protocol, with 18 Volt power supply, 6 ft. BNC video cable, and 15 ft. ICC cable (Joystick Control Unit not included).	1 Year	US
1550010	LCD Monitor for WSTI/MRTI	1 Year	US
1550020	VCR for DI-5000 MRTI	1 Year	US
2110280-15	15 ft. ICC Cable / 37 pin - 37 pin for DI-7000/DI-5000	1 Year	US
2110280-30	30 ft. ICC Cable / 31 pin - 31 pin for DI-7000/DI-5000	1 Year	US
2110280-25	25 ft. ICC Cable / 37 pin - 37 pin for DI-7000/DI-5000	1 Year	US
2110280-30	30 ft. ICC Cable / 37 pin - 37 pin for DI-7000/DI-5000	1 Year	US
2110280-50	50 ft. ICC Cable / 37 pin - 37 pin for DI-7000/DI-5000	1 Year	US
2110280-60	60 ft. ICC Cable / 37 pin - 37 pin for DI-7000/DI-5000	1 Year	US
2110280-100	100 ft. ICC Cable / 37 pin - 37 pin for DI-7000/DI-5000	1 Year	US
2110280-30	30 ft. ICC Cable / 31 pin - 31 pin for DI-7000/DI-5000	1 Year	US
2110280-60	60 ft. ICC Cable / 31 pin - 31 pin for DI-7000/DI-5000	1 Year	US
2110490-15	15 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-25	25 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-40	40 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-50	50 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-70	70 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-75	75 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-100	100 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110490-120	120 ft. ICC Cable / 37 pin - fantail for DI-7000/DI-5000	1 Year	US
2110480-70	70 ft. ICC Cable / 31 pin - fantail for DI-7000/DI-5000	1 Year	US
2110480-40	40 ft. ICC Cable / 31 pin - fantail for DI-7000/DI-5000	1 Year	US

2110130	15 ft. ICC Cable / 18 pin - fantail (no connectors) for DI-9800s		1 Year	US
2110131	25 ft. ICC Cable / 18 pin - fantail (no connectors) for DI-9800s		1 Year	US
2110132	50 ft. ICC Cable / 18 pin - fantail (no connectors) for DI-9800s		1 Year	US
2110133	100 ft. ICC Cable / 18 pin - fantail (no connectors) for DI-9800s		1 Year	US
2110134	15 ft. ICC Cable / 18 pin - fantail with connectors for DI-9800s		1 Year	US
2110280	200 ft. ICC Male to Male Metal Cable / 37 pin - 37 pin for DI-7000 WSTI		1 Year	US
2110281	15 ft. ICC Metal Cable / 37 pin - 37 pin for DI-5000 MRTI		1 Year	US
2110300	200 ft. ICC Male to Female Metal Cable / 37 pin - 37 pin for DI-7000 WSTI		1 Year	US
2110300	200 ft. Metal Extension Cables for DI-5000 MRTI or DI-5000		1 Year	US
2110320	Computer Control Annunciator Cabel for DI-7000 WSTI/ DI-5000 MRTI		1 Year	US
2130100	Metal Joystick Controller for DI-7000/DI-5000		1 Year	US
2130130	Breakout Box for Fiber/ Wireless Connection		1 Year	US
3070040	Spare Parts - 37.5 Micron Focal Plane		1 Year	US
3070030	Spare Parts - 25 Micron Focal Plane		1 Year	US
2230050	Pedastal Heater		1 Year	US
1560010	Network Box		1 Year	US