

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
Series III High Fidelity 2x2 Grid Ceiling Loudspeakers						
CS SERIES DOWNWARD FIRING LOUSPEAKERS WITH GRILLE						
SIN 58-4	6061-CS	2-way loudspeaker w/backbox-1-6-5" low, 1-1" titanium high, 1-8" passive radiator	1 to 5		2 Years	US
SIN 58-4	6061-CS	2-way loudspeaker w/backbox-1-6-5" low, 1-1" titanium high, 1-8" passive radiator	6 to 11		2 Years	US
SIN 58-4	6061-CS	2-way loudspeaker w/backbox-1-6-5" low, 1-1" titanium high, 1-8" passive radiator	12 & up		2 Years	US
SIN 58-4	6061-CS-FR	Same as P/N 6061-CS, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	6061-CS-FR	Same as P/N 6061-CS, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	6061-CS-FR	Same as P/N 6061-CS, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	801-C	2-way loudspeaker, 1-8" low, 1-1" fabric dome high, no backbox	1 to 5		2 Years	US
SIN 58-4	801-C	2-way loudspeaker, 1-8" low, 1-1" fabric dome high, no backbox	6 to 11		2 Years	US
SIN 58-4	801-C	2-way loudspeaker, 1-8" low, 1-1" fabric dome high, no backbox	12 & up		2 Years	US
SIN 58-4	801-C-FR	Same as P/N 801-C, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	801-C-FR	Same as P/N 801-C, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	801-C-FR	Same as P/N 801-C, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	8081-CS	2-way loudspeaker w/backbox - 1-8" low, 1-1" titanium high, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	8081-CS	2-way loudspeaker w/backbox - 1-8" low, 1-1" titanium high, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	8081-CS	2-way loudspeaker w/backbox - 1-8" low, 1-1" titanium high, 1-10" passive radiator	12 & up		2 Years	US
SIN 58-4	8081-CS-FR	Same as P/N 8081-CS, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	8081-CS-FR	Same as P/N 8081-CS, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	8081-CS-FR	Same as P/N 8081-CS, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	8081-CS-HP	2-way 200 watt high performance loudspeaker w/backbox, 1-8" low, 1-25mm horn loaded fabric dome high, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	8081-CS-HP	2-way 200 watt high performance loudspeaker w/backbox, 1-8" low, 1-25mm horn loaded fabric dome high, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	8081-CS-HP	2-way 200 watt high performance loudspeaker w/backbox, 1-8" low, 1-25mm horn loaded fabric dome high, 1-10" passive radiator	12 & up		2 Years	US
SIN 58-4	8081-CS-HP-FR	Same as P/N 8081-CS-HP, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 58-4	8081-CS-HP-FR	Same as P/N 8081-CS-HP, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	8081-CS-HP-FR	Same as P/N 8081-CS-HP, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	101-CS-HP	2-way 200 watt high performance loudspeaker w/backbox, 1-8" low, 1-25mm horn loaded fabric dome high, optimally vented	1 to 5		2 Years	US
SIN 58-4	101-CS-HP	2-way 200 watt high performance loudspeaker w/backbox, 1-8" low, 1-25mm horn loaded fabric dome high, optimally vented	6 to 11		2 Years	US
SIN 58-4	101-CS-HP	2-way 200 watt high performance loudspeaker w/backbox, 1-8" low, 1-25mm horn loaded fabric dome high, optimally vented	12 & up		2 Years	US
SIN 58-4	101-CS-HP-FR	Same as P/N 101-CS-HP, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	101-CS-HP-FR	Same as P/N 101-CS-HP, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	101-CS-HP-FR	Same as P/N 101-CS-HP, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	PG	Patterned Grille for 2x2 CS loudspeakers, instead of plain grille	1 to 5		2 Years	US
SIN 58-4	PG	Patterned Grille for 2x2 CS loudspeakers, instead of plain grille	6 to 11		2 Years	US
SIN 58-4	PG	Patterned Grille for 2x2 CS loudspeakers, instead of plain grille	12 & up		2 Years	US
* All of the above CS loudspeakers will be shipped with white grilles.						
CSD SERIES PERIMETER FIRING LOUDSPEAKERS WITH GRILLE						
SIN 58-4	6061-CSD	2-way loudspeaker dropped below ceiling line; 1-6.5" low, 1"1" titanium high, 1-8" passive radiator	1 to 5		2 Years	US
SIN 58-4	6061-CSD	2-way loudspeaker dropped below ceiling line; 1-6.5" low, 1"1" titanium high, 1-8" passive radiator	6 to 11		2 Years	US
SIN 58-4	6061-CSD	2-way loudspeaker dropped below ceiling line; 1-6.5" low, 1"1" titanium high, 1-8" passive radiator	12 & up		2 Years	US
SIN 58-4	6061-CSD-FR	Same as P/N 6061-CSD, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	6061-CSD-FR	Same as P/N 6061-CSD, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	6061-CSD-FR	Same as P/N 6061-CSD, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	8081-CSD	2-way loudspeaker dropped below ceiling line; 1-8" low, 1"1" titanium high, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	8081-CSD	2-way loudspeaker dropped below ceiling line; 1-8" low, 1"1" titanium high, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	8081-CSD	2-way loudspeaker dropped below ceiling line; 1-8" low, 1"1" titanium high, 1-10" passive radiator	12 & up		2 Years	US
SIN 58-4	8081-CSD-FR	Same as P/N 8081-CSD, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	8081-CSD-FR	Same as P/N 8081-CSD, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 58-4	8081-CSD-FR	Same as P/N 8081-CSD, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	8081-CSD-HP	2-way 200 watt high performance loudspeaker dropped below ceiling line; 1-8" low, 1-25mm fabric dome high, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	8081-CSD-HP	2-way 200 watt high performance loudspeaker dropped below ceiling line; 1-8" low, 1-25mm fabric dome high, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	8081-CSD-HP	2-way 200 watt high performance loudspeaker dropped below ceiling line; 1-8" low, 1-25mm fabric dome high, 1-10" passive radiator	12 & up		2 Years	US
SIN 58-4	8081-CSD-HP-FR	Same as P/N 8081-CSD-HP, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	8081-CSD-HP-FR	Same as P/N 8081-CSD-HP, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	8081-CSD-HP-FR	Same as P/N 8081-CSD-HP, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	8081-CSD-SW	P/N 8081-CSD with swivel mount	1 to 5		2 Years	US
SIN 58-4	8081-CSD-SW	P/N 8081-CSD with swivel mount	6 to 11		2 Years	US
SIN 58-4	8081-CSD-SW	P/N 8081-CSD with swivel mount	12 & up		2 Years	US
SIN 58-4	8081-CSD-DW	P/N 8081-CSD with mount for drywall or other flat surface	1 to 5		2 Years	US
SIN 58-4	8081-CSD-DW	P/N 8081-CSD with mount for drywall or other flat surface	6 to 11		2 Years	US
SIN 58-4	8081-CSD-DW	P/N 8081-CSD with mount for drywall or other flat surface	12 & up		2 Years	US
SIN 58-4	8081-CSD-DW-HP	2-way loudspeaker dropped below ceiling line; 1-8" low, 1"1" titanium high, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	8081-CSD-DW-HP	2-way loudspeaker dropped below ceiling line; 1-8" low, 1"1" titanium high, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	8081-CSD-DW-HP	2-way loudspeaker dropped below ceiling line; 1-8" low, 1"1" titanium high, 1-10" passive radiator	12 & up		2 Years	US

****All of the above CSD loudspeakers will be shipped with white textured lacquer and white grilles.***

CS SERIES SUBWOOFER LOUDSPEAKERS WITH GRILLE

SIN 58-4	12-1CS	Single 12" subwoofer, 1-12" low, requires external amplification	1 to 5		2 Years	US
SIN 58-4	12-1CS	Single 12" subwoofer, 1-12" low, requires external amplification	6 to 11		2 Years	US
SIN 58-4	12-1CS	Single 12" subwoofer, 1-12" low, requires external amplification	12 & up		2 Years	US
SIN 58-4	12-1CS-FR	Same as P/N 12-1CS, fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	12-1CS-FR	Same as P/N 12-1CS, fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	12-1CS-FR	Same as P/N 12-1CS, fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US

****All of the above CS loudspeakers will be shipped with white grilles.***

All FR loudspeakers are made to order and require additional time for shipment.

Accessories are available for the above speakers.

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
<i>Distributed transformers are available for the above speakers.</i>						
KSI'S SERIES III HIGH FIDELITY WALL & CEILING MOUNT LOUDSPEAKERS						
WM Series Loudspeakers						
The WM Series loudspeakers are designed to mount in a cutout that you make in the drywall!!						
Only the grille will be visible when complete!!						
SIN 58-4	501-WM	2-way Wall & Ceiling Mount speaker for retrofit drywall. One 5.25" low, One 1" fabric dome high	1 to 5		2 Years	US
SIN 58-4	501-WM	2-way Wall & Ceiling Mount speaker for retrofit drywall. One 5.25" low, One 1" fabric dome high	6 to 11		2 Years	US
SIN 58-4	501-WM	2-way Wall & Ceiling Mount speaker for retrofit drywall. One 5.25" low, One 1" fabric dome high	12 & up		2 Years	US
SIN 58-4	601-WM	2-way Wall & Ceiling Mount Speaker for retrofit drywall. One 6.5" low, One 1" titanium high	1 to 5		2 Years	US
SIN 58-4	601-WM	2-way Wall & Ceiling Mount Speaker for retrofit drywall. One 6.5" low, One 1" titanium high	6 to 11		2 Years	US
SIN 58-4	601-WM	2-way Wall & Ceiling Mount Speaker for retrofit drywall. One 6.5" low, One 1" titanium high	12 & up		2 Years	US
SIN 58-4	801-WM	2-way Wall & Ceiling Mount speaker for retrofit drywall. One 8" low, One 1" titanium high	1 to 5		2 Years	US
SIN 58-4	801-WM	2-way Wall & Ceiling Mount speaker for retrofit drywall. One 8" low, One 1" titanium high	6 to 11		2 Years	US
SIN 58-4	801-WM	2-way Wall & Ceiling Mount speaker for retrofit drywall. One 8" low, One 1" titanium high	12 & up		2 Years	US
SIN 58-4	811-WMHP	2-way 200 watt Wall & Ceiling Mount speaker for retrofit drywall. One 8" low, One 25mm fabric dome high	1 to 5		2 Years	US
SIN 58-4	811-WMHP	2-way 200 watt Wall & Ceiling Mount speaker for retrofit drywall. One 8" low, One 25mm fabric dome high	6 to 11		2 Years	US
SIN 58-4	811-WMHP	2-way 200 watt Wall & Ceiling Mount speaker for retrofit drywall. One 8" low, One 25mm fabric dome high	12 & up		2 Years	US
WMBB Series Backbox Loudspeakers with Grille						
The WMBB Series loudspeakers are designed to have the backbox mounted behind the drywall!!						
Only the grille will be visible when complete!!						
SIN 58-4	501-WMBB	2-way loudspeaker for 2x4 walls with backbox, 1-5.25" low, 1-1" fabric dome high, 1-8" passive radiator	1 to 5		2 Years	US
SIN 58-4	501-WMBB	2-way loudspeaker for 2x4 walls with backbox, 1-5.25" low, 1-1" fabric dome high, 1-8" passive radiator	6 to 11		2 Years	US
SIN 58-4	501-WMBB	2-way loudspeaker for 2x4 walls with backbox, 1-5.25" low, 1-1" fabric dome high, 1-8" passive radiator	12 & up		2 Years	US
SIN 58-4	501-WMBB-FR	Same as P/N 501-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	501-WMBB-FR	Same as P/N 501-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	501-WMBB-FR	Same as P/N 501-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	601-WMBB	2-way loudspeaker for 2x4 walls with backbox, 1-6.50" low, 1-1" titanium high, 1-8" passive radiator	1 to 5		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 58-4	601-WMBB	2-way loudspeaker for 2x4 walls with backbox, 1-6.50" low, 1-1" titanium high, 1-8" passive radiator	6 to 11		2 Years	US
SIN 58-4	601-WMBB	2-way loudspeaker for 2x4 walls with backbox, 1-6.50" low, 1-1" titanium high, 1-8" passive radiator	12 & up		2 Years	US
SIN 58-4	601-WMBB-FR	Same as P/N 601-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	601-WMBB-FR	Same as P/N 601-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	601-WMBB-FR	Same as P/N 601-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	801-WMBB	2-way loudspeaker for 2x6 walls with back box, 1-8" low, 1-25mm fabric dome high, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	801-WMBB	2-way loudspeaker for 2x6 walls with back box, 1-8" low, 1-25mm fabric dome high, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	801-WMBB	2-way loudspeaker for 2x6 walls with back box, 1-8" low, 1-25mm fabric dome high, 1-10" passive radiator	12 & up		2 Years	US
SIN 58-4	801-WMBB-FR	Same as P/N 801-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	801-WMBB-FR	Same as P/N 801-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	801-WMBB-FR	Same as P/N 801-WMBB, backbox fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	811-WMBB-HP	2-way 200 watt high performance loudspeaker for 2x6 walls with backbox, 1-8" low, 1-25mm fabric dome high, 1-10"	1 to 5		2 Years	US
SIN 58-4	811-WMBB-HP	2-way 200 watt high performance loudspeaker for 2x6 walls with backbox, 1-8" low, 1-25mm fabric dome high, 1-10"	6 to 11		2 Years	US
SIN 58-4	811-WMBB-HP	2-way 200 watt high performance loudspeaker for 2x6 walls with backbox, 1-8" low, 1-25mm fabric dome high, 1-10"	12 & up		2 Years	US
SIN 58-4	811-WMBB-HPFR	Same as P/N 811-WMBB-HP, backbox fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	811-WMBB-HPFR	Same as P/N 811-WMBB-HP, backbox fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	811-WMBB-HPFR	Same as P/N 811-WMBB-HP, backbox fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US
SIN 58-4	811-SBWM	2-way 200 watt high performance subwoofer for 2x6 walls with backbox, 1-8" low, 1-10" passive radiator	1 to 5		2 Years	US
SIN 58-4	811-SBWM	2-way 200 watt high performance subwoofer for 2x6 walls with backbox, 1-8" low, 1-10" passive radiator	6 to 11		2 Years	US
SIN 58-4	811-SBWM	2-way 200 watt high performance subwoofer for 2x6 walls with backbox, 1-8" low, 1-10" passive radiator	12 & up		2 Years	US
SIN 58-4	811-SBWM-FR	Same as P/N 811-SBWM, backbox fabricated from Duraflake FR fire rated cabinet material	1 to 5		2 Years	US
SIN 58-4	811-SBWM-FR	Same as P/N 811-SBWM, backbox fabricated from Duraflake FR fire rated cabinet material	6 to 11		2 Years	US
SIN 58-4	811-SBWM-FR	Same as P/N 811-SBWM, backbox fabricated from Duraflake FR fire rated cabinet material	12 & up		2 Years	US

All FR loudspeakers are made to order and require additional time for shipment.
Accessories are available for the above speakers.
Distributed transformers are available for the above speakers.

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
White grilles will be shipped unless specified otherwise. You must specify black grilles, if required.						
Series III Near Field and Low Frequency Loudspeakers						
Premium Near Field Loudspeakers						
SIN 58-4	501-SH	2-way Near Field Loudspeaker <i>Shielded Only</i> One 5.25" low, One 1" fabric dome high, One 8" passive radiator	1 to 5		2 Years	US
SIN 58-4	501-SH	2-way Near Field Loudspeaker <i>Shielded Only</i> One 5.25" low, One 1" fabric dome high, One 8" passive radiator	6 to 11		2 Years	US
SIN 58-4	501-SH	2-way Near Field Loudspeaker <i>Shielded Only</i> One 5.25" low, One 1" fabric dome high, One 8" passive radiator	12 & up		2 Years	US
SIN 58-4	501-CCS-SH	2-way Center Channel Near Field Loudspeaker <i>Shielded Only</i> , Two 5.25" low, one 1" fabric dome	1 to 5		2 Years	US
SIN 58-4	501-CCS-SH	2-way Center Channel Near Field Loudspeaker <i>Shielded Only</i> , Two 5.25" low, one 1" fabric dome	6 to 11		2 Years	US
SIN 58-4	501-CCS-SH	2-way Center Channel Near Field Loudspeaker <i>Shielded Only</i> , Two 5.25" low, one 1" fabric dome	12 & up		2 Years	US
SIN 58-4	601	2-way Near Field Loudspeaker- One 6.5" low, One 1" titanium dome. One 8" passive radiator	1 to 5		2 Years	US
SIN 58-4	601	2-way Near Field Loudspeaker- One 6.5" low, One 1" titanium dome. One 8" passive radiator	6 to 11		2 Years	US
SIN 58-4	601	2-way Near Field Loudspeaker- One 6.5" low, One 1" titanium dome. One 8" passive radiator	12 & up		2 Years	US
SIN 58-4	801	2-way Near Field Loudspeaker - One 8" low, One 1" titanium dome, One 10" passive radiator	1 to 5		2 Years	US
SIN 58-4	801	2-way Near Field Loudspeaker - One 8" low, One 1" titanium dome, One 10" passive radiator	6 to 11		2 Years	US
SIN 58-4	801	2-way Near Field Loudspeaker - One 8" low, One 1" titanium dome, One 10" passive radiator	12 & up		2 Years	US
SIN 58-4	811-HP	2-way 200 watt Near Field Loudspeaker - One 8" low, One 25mm horn loaded fabric dome high, One 10" passive radiator	1 to 5		2 Years	US
SIN 58-4	811-HP	2-way 200 watt Near Field Loudspeaker - One 8" low, One 25mm horn loaded fabric dome high, One 10" passive radiator	6 to 11		2 Years	US
SIN 58-4	811-HP	2-way 200 watt Near Field Loudspeaker - One 8" low, One 25mm horn loaded fabric dome high, One 10" passive radiator	12 & up		2 Years	US
SIN 58-4	WMBRK	Wall Mount Bracket for 501, 501-CCS, 601, 801 and 811-HP	1 to 5		2 Years	US
SIN 58-4	WMBRK	Wall Mount Bracket for 501, 501-CCS, 601, 801 and 811-HP	6 to 11		2 Years	US
SIN 58-4	WMBRK	Wall Mount Bracket for 501, 501-CCS, 601, 801 and 811-HP	12 & up		2 Years	US
Low Frequency Loudspeakers						
SIN 58-4	10-2S	Dual 10" Subwoofer - Two 250 watt 10" Cast Frame Transducers	1 to 5		2 Years	US
SIN 58-4	10-2S	Dual 10" Subwoofer - Two 250 watt 10" Cast Frame Transducers	6 to 11		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 58-4	10-2S	Dual 10" Subwoofer - Two 250 watt 10" Cast Frame Transducers	12 & up		2 Years	US
SIN 58-4	12-1S	Single 12" Subwoofer - One 250 watt 12" Cast Frame Transducer	1 to 5		2 Years	US
SIN 58-4	12-1S	Single 12" Subwoofer - One 250 watt 12" Cast Frame Transducer	6 to 11		2 Years	US
SIN 58-4	12-1S	Single 12" Subwoofer - One 250 watt 12" Cast Frame Transducer	12 & up		2 Years	US
SIN 58-4	12-2S	Dual 12" Subwoofer - Two 250 watt 12" Cast Frame Transducers	1 to 5		2 Years	US
SIN 58-4	12-2S	Dual 12" Subwoofer - Two 250 watt 12" Cast Frame Transducers	6 to 11		2 Years	US
SIN 58-4	12-2S	Dual 12" Subwoofer - Two 250 watt 12" Cast Frame Transducers	12 & up		2 Years	US
SIN 58-4	15-1S	Single 15" Subwoofer - Two 250 watt 15" Cast Frame Transducer	1 to 5		2 Years	US
SIN 58-4	15-1S	Single 15" Subwoofer - Two 250 watt 15" Cast Frame Transducer	6 to 11		2 Years	US
SIN 58-4	15-1S	Single 15" Subwoofer - Two 250 watt 15" Cast Frame Transducer	12 & up		2 Years	US
SIN 58-4	15-2S	Dual 15" Subwoofer - Two 250 watt 15" Cast Frame Transducers	1 to 5		2 Years	US
SIN 58-4	15-2S	Dual 15" Subwoofer - Two 250 watt 15" Cast Frame Transducers	6 to 11		2 Years	US
SIN 58-4	15-2S	Dual 15" Subwoofer - Two 250 watt 15" Cast Frame Transducers	12 & up		2 Years	US

Please note: All of the above low frequency loudspeakers will require external power amplifiers.

Premium Audio Transformers for Distributed Sound Systems

50-15,000 HZ +/- 3db Audio Transformers

SIN 58-4	T-70-8	70.7 volt transformer- tapped 2, 4, 8 watts - 50-15000 HZ +/- 3db	1 to 5		2 Years	US
SIN 58-4	T-70-8	70.7 volt transformer- tapped 2, 4, 8 watts - 50-15000 HZ +/- 3db	6 to 11		2 Years	US
SIN 58-4	T-70-8	70.7 volt transformer- tapped 2, 4, 8 watts - 50-15000 HZ +/- 3db	12 & up		2 Years	US
SIN 58-4	T-70-15	70.7 volt transformer- tapped 5, 10, 15 watts - 50-15000 HZ +/- 3db	1 to 5		2 Years	US
SIN 58-4	T-70-15	70.7 volt transformer- tapped 5, 10, 15 watts - 50-15000 HZ +/- 3db	6 to 11		2 Years	US
SIN 58-4	T-70-15	70.7 volt transformer- tapped 5, 10, 15 watts - 50-15000 HZ +/- 3db	12 & up		2 Years	US
SIN 58-4	T-70-30	70.7 volt transformer- tapped 7.5, 15, 30 watts - 50-15000 HZ +/- 3db	1 to 5		2 Years	US
SIN 58-4	T-70-30	70.7 volt transformer- tapped 7.5, 15, 30 watts - 50-15000 HZ +/- 3db	6 to 11		2 Years	US
SIN 58-4	T-70-30	70.7 volt transformer- tapped 7.5, 15, 30 watts - 50-15000 HZ +/- 3db	12 & up		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 58-4	T-70-60	70.7 volt transformer- tapped 15, 30, 60 watts - 50-15000 HZ +/- 3db	1 to 5		2 Years	US
SIN 58-4	T-70-60	70.7 volt transformer- tapped 15, 30, 60 watts - 50-15000 HZ +/- 3db	6 to 11		2 Years	US
SIN 58-4	T-70-60	70.7 volt transformer- tapped 15, 30, 60 watts - 50-15000 HZ +/- 3db	12 & up		2 Years	US
SIN 58-4	T-70-100	70.7 volt transformer- tapped 25, 50, 100 watts- 50-15000 HZ +/- 3db	1 to 5		2 Years	US
SIN 58-4	T-70-100	70.7 volt transformer- tapped 25, 50, 100 watts- 50-15000 HZ +/- 3db	6 to 11		2 Years	US
SIN 58-4	T-70-100	70.7 volt transformer- tapped 25, 50, 100 watts- 50-15000 HZ +/- 3db	12 & up		2 Years	US
30-15,000 HZ +/- 1 db Extended Response Audio Transformers						
SIN 58-4	EL-T-70-5	70.7 volt transformer- tapped 1, 2, 5 watts - 30-15000 HZ +/- 1 db	1 to 5		2 Years	US
SIN 58-4	EL-T-70-5	70.7 volt transformer- tapped 1, 2, 5 watts - 30-15000 HZ +/- 1 db	6 to 11		2 Years	US
SIN 58-4	EL-T-70-5	70.7 volt transformer- tapped 1, 2, 5 watts - 30-15000 HZ +/- 1 db	12 & up		2 Years	US
SIN 58-4	EL-T-70-15	70.7 volt transformer- tapped 5, 15, 15 watts - 30-15000 HZ +/- 1 db	1 to 5		2 Years	US
SIN 58-4	EL-T-70-15	70.7 volt transformer- tapped 5, 15, 15 watts - 30-15000 HZ +/- 1 db	6 to 11		2 Years	US
SIN 58-4	EL-T-70-15	70.7 volt transformer- tapped 5, 15, 15 watts - 30-15000 HZ +/- 1 db	12 & up		2 Years	US
SIN 58-4	EL-T-70-30	70.7 volt transformer- tapped 5, 10, 20, 30 watts - 30-15000 HZ +/- 1 db	1 to 5		2 Years	US
SIN 58-4	EL-T-70-30	70.7 volt transformer- tapped 5, 10, 20, 30 watts - 30-15000 HZ +/- 1 db	6 to 11		2 Years	US
SIN 58-4	EL-T-70-30	70.7 volt transformer- tapped 5, 10, 20, 30 watts - 30-15000 HZ +/- 1 db	12 & up		2 Years	US
SIN 58-4	EL-T-70-60	70.7 volt transformer- tapped 10, 20, 40, 60 watts - 30-15000 HZ +/- 1 db	1 to 5		2 Years	US
SIN 58-4	EL-T-70-60	70.7 volt transformer- tapped 10, 20, 40, 60 watts - 30-15000 HZ +/- 1 db	6 to 11		2 Years	US
SIN 58-4	EL-T-70-60	70.7 volt transformer- tapped 10, 20, 40, 60 watts - 30-15000 HZ +/- 1 db	12 & up		2 Years	US

*** THE EL SERIES TRANSFORMERS ARE SPECIAL ORDER ONLY & NOT RETURNABLE**

To maintain the high performance for which KSI loudspeakers are known, we recommend installing only KSI transformers on KSI loudspeakers!

For full versatility, all KSI transformers are supplied separately and are supplied with mounting screws and hardware.

KSI will mount & connect transformers to your loudspeakers when ordered together.

All transformers will be mounted on the exterior of the loudspeaker cabinet.

Accessories are available for the above speakers.

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
Accessories and Replacement Components for KSI Loudspeakers						
Grilles & Accessories for 2x2 Ceiling Grid Loudspeakers						
SIN 58-4	TEG-GS	Tegular grille for KSI 2x2 ceiling loudspeakers - send tile for proper recess (Only available with loudspeaker purchase, special order, non-returnable)	N/A		2 Years	US
SIN 58-4	THL-CS	Grille for thinline T-bar 2x2 grids - only available with loudspeaker purchase (Special order, non-returnable)	N/A		2 Years	US
SIN 58-4	CG-1	Dye Grille color, minimum of 10 grilles must be purchased. This item is a special order and is not returnable. Less than 10 grilles will be charged at \$187.00. After 10 grilles, dealer price is \$18.70 each.	N/A		2 Years	US
SIN 58-4	2x2-CSGW	Replacement 2x2 grille for one KSI 2x2 loudspeaker. White grille.	N/A		2 Years	US
SIN 58-4	2x2-CSGWFR	Replacement 2x2 grille for one KSI 2x2 loudspeaker (fire rated material). White grille.	N/A		2 Years	US
SIN 58-4	2x2- CSGBL	Replacement 2x2 grille for one KSI 2x2 loudspeaker. Black grille. (This is special order and is not returnable.)	N/A		2 Years	US
SIN 58-4	2x2CSPG	Replacement 2x2 grille for one KSI 2x2 loudspeaker. Patterned grille.	N/A		2 Years	US
SIN 58-4	2x4-CSGW	2x4 grille for one or two KSI 2x2 loudspeakers. White grille. (This item is a special order and is not returnable.)	N/A		2 Years	US
SIN 58-4	2x4-CSGBL	2x4 grille for one or two KSI 2x2 loudspeakers. Black grille. (This item is a special order and is not returnable.)	N/A		2 Years	US
SIN 58-4	6CSDGRW	Replacement grille for 6061-CSD series 2x2 loudspeakers. White grille.	N/A		2 Years	US
SIN 58-4	8CSDGRW	Replacement grille for 8081-CSD series 2x2 loudspeakers. White grille.	N/A		2 Years	US
SIN 58-4	WMGrille	Replacement grille for any KSI WM & WMBB series wall mount loudspeaker	N/A		2 Years	US
Replacement Transducers for KSI Loudspeakers						
SIN 58-4	205/8	5.25" shielded transducer for 501, 501-WM & 501-WMBB	N/A		2 Years	US
SIN 58-4	206/8	6.5" transducer for 601, 601-WM, 601-WMBB, 6061-CS & 6061-CSD	N/A		2 Years	US
SIN 58-4	208/8	8" transducer for 801, 801-WM, 801-WMBB, 8081-CS & 8081-CSD	N/A		2 Years	US
SIN 58-4	HP-8038	8" transducer for 811HP, 811-WMHP, 811-WMBBHP, 8081-CSHP & 8081-CSDHP	N/A		2 Years	US
SIN 58-4	HP-1048	10" transducer for 101-CSHP	N/A		2 Years	US
SIN 58-4	HP-1258	12" transducer for 12-1C, 12-1S & 12-2S	N/A		2 Years	US
SIN 58-4	HP-1558	15" transducer for 15-1S & 15-2S	N/A		2 Years	US
SIN 58-4	8020	8" transducer for 801-C	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 58-4	310SH	High frequency transducer for 801-C & 501-SH	N/A		2 Years	US
SIN 58-4	324Ti	High frequency transducer for 501-WM/WMBB, all 6.5" models, all standard 8" models	N/A		2 Years	US
SIN 58-4	215TG	High frequency transducer for all HP series loudspeakers	N/A		2 Years	US
SIN 58-4	Passive Radiators	8" or 10" replacement radiator	N/A		2 Years	US

Essential Line Lecterns and Presentation Furniture

Essential Line Lecterns

SIN 219-12	ESL-32	32" wide by 32" deep by 48" high	N/A		2 Years	US
SIN 219-12	ESL-40	40" wide by 32" deep by 48" high	N/A		2 Years	US
SIN 219-12	ESL-48	48" wide by 32" deep by 48" high	N/A		2 Years	US
SIN 219-12	TwoStepWS	Optional two step work surface for monitors and touch panels	N/A		2 Years	US
SIN 219-12	SplitWS	Work surface has sloped portion for a monitor or touch panel. Balance is flat.	N/A		2 Years	US
SIN 219-12	LCD-Cutout	Optional panel mount cutout for an LCD monitor. (Proper fit is not guaranteed unless the monitor is shipped to KSI for mounting)	N/A		2 Years	US
SIN 219-12	LCD-Well-DF	LCD monitor well using KSI default size. Well is 17" long x 12" wide. Well portion is approximately 4" deep. The LCD monitor may extend above the top of the lectern.	N/A		2 Years	US
SIN 219-12	TP-Cutout	Optional cutout for a touch screen or interface device. (Proper fit is not guaranteed unless the monitor is shipped to KSI for mounting.)	N/A		2 Years	US
SIN 219-12	Rack Shelf	Optional rack shelf that mounts to the lower rack rail, price each	N/A		2 Years	US

30 Day Delivery for Time Sensitive Jobs

*** Call for pricing and availability for other work surface options not shown here.**

Essential Line Credenzas

SIN 219-12	ESL-CR44	43.5"w x 22"d x 31.5"h with recessed swivel casters, vented rear locking doors, (2) 14 space rack sections, front locking doors	N/A		2 Years	US
SIN 219-12	ESL-CR44-Fan	43.5"w x 22"d x 31.5"h with recessed swivel casters, vented rear locking doors with ventilation fans, (2) 14 space rack sections, front locking doors	N/A		2 Years	US
SIN 219-12	ESL-CR66	66"w x 22"d x 31.5" h with recessed swivel casters, vented rear locking doors, (3) 14 space rack sections, front locking doors	N/A		2 Years	US
SIN 219-12	ESL-CR66-Fan	66"w x 22"d x 31.5" h with recessed swivel casters, vented rear locking doors with ventilation fans, (3) 14 space rack sections, front locking doors	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
30 Day Delivery for Time Sensitive Jobs						
Essential Line Presentation Desks						
SIN 219-12	ESL-PD60	60"w x 30"d x 32"h with 6 outlet strip, ventilation fan on inside of rack section, fixed height keyboard/mouse shelf, rear hinged door covering rack space, front locking hinged door, flat work surface in black matrix laminate, 14 space rack mount in bottom, 2" grommets for cable management.	N/A		2 Years	US
SIN 219-12	ESL-PD72	72"w x 30"d x 32"h with 6 outlet strip, ventilation fan on inside of rack section, fixed height keyboard/mouse shelf, rear hinged door covering rack space, front locking hinged door, flat work surface in black matrix laminate, 14 space rack mount in bottom, 2" grommets for cable management, space for a CPU tower (9.5"w x 25"h) - Presenter's right, left of rack.	N/A		2 Years	US
SIN 219-12	Touch Panel Cutout	Cutouts on work surface (Extron, AMX, Crestron, etc.)	N/A		2 Years	US
30 Day Delivery for Time Sensitive Jobs						
Red Oak and Maple in clear KSI finish are standard.						
* Essential Line Products are also available in any of our Premier Line finishes at an additional charge.						
Essential Line Equipment Racks and Carts						
Essential Line Equipment Racks						
SIN 219-12	ESL-R6 to R11	With front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R6/PG to R11/PG	With plexiglass inset front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R12 to R17	With front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R12/PG to R17/PG	With plexiglass inset front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R18 to R23	With front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R18/PG to R23/PG	With plexiglass inset front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R24 to R29	With front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R24/PG to R29/PG	With plexiglass inset front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R30 to R35	With front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R30/PG to R35/PG	With plexiglass inset front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R36 to R40	With front & vented back locking doors, recessed casters	N/A		2 Years	US
SIN 219-12	ESL-R36/PG to R40/PG	With plexiglass inset front & vented back locking doors, recessed casters	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 219-12	Fan	Ventilation fan on rear door, each	N/A		2 Years	US
Essential Line Presenter's Carts						
SIN 219-12	ESL-PR405	32"w x 23.5"d x 42.5"h, with 6 outlet strip, fixed height keyboard/mouse drawer, rear hinged doors, front locking access panel, 17 space rack mount, 2" grommets for cable management, recessed casters, space for CPU tower	N/A		2 Years	US
SIN 219-12	ESL-PR405A	32"w x 23.5"d x 42.5"h, with 6 outlet strip, 6" open shelf, rear hinged doors, front locking access panel, 16 space rack mount, 2" grommets for cable management, recessed casters	N/A		2 Years	US
SIN 219-12	Fan	Ventilation fan, each	N/A		2 Years	US
<p>Please refer to the Essential Line Specifications for a complete description of each product, and to make sure that your electronic equipment will fit in the size you have selected. You must select the finish when ordering. All standard finishes are available.</p> <p>All Essential Line Equipment Racks and Carts are made to order and are not returnable.</p> <p>Red Oak and Maple in clear KSI finish are standard.</p> <p>* Essential Line Products are also available in any of our Premier Line finishes at an additional charge.</p>						
Premier Line Lecterns						
The Statesman Lectern Series 100						
SIN 219-12	L-100-25	25" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-32	32" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-32/32	32" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-40	40" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-40/32	40" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-48	48" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-48/32	48" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-60	60" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-100-60/32	60" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	LT-100-25	25" wide, 23.5" deep. Table top lectern.	N/A		2 Years	US
SIN 219-12	Laminate Number	Laminate option for any of the above lecterns. Call for price and availability of colors and patterns.	N/A		2 Years	US
SIN 219-12	EL	Electric height adjustment - All EL to the part number. Not all options are available with this option.	N/A		2 Years	US
The Congressional Lectern Series 200						
SIN 219-12	L-200-25	25" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-32	32" wide, 23.5" deep, 48" high	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 219-12	L-200-32/32	32" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-40	40" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-40/32	40" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-48	48" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-48/32	48" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-60	60" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-200-60/32	60" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	LT-200-25	25" wide, 23.5" deep. Table top lectern.	N/A		2 Years	US
SIN 219-12	Laminate Number	Laminate option for any of the above lecterns. Call for price and availability of colors and patterns.	N/A		2 Years	US
SIN 219-12	EL	Electric height adjustment - All EL to the part number. Not all options are available with this option.	N/A		2 Years	US
The Ambassador Lectern Series 300 ADA Style						
SIN 219-12	L-300-40-EL	ADA Style lectern with electric height adjustment.	N/A		2 Years	US
Statesman & Delegate ADA Style Lecterns						
SIN 219-12	L-100-48-ADA	48" Statesman ADA Style Lectern with electric height adjustment.	N/A		2 Years	US
SIN 219-12	L-200-48-ADA	48" Congressional ADA Style Lectern with electric height adjustment.	N/A		2 Years	US
SIN 219-12	L-400-48-ADA	48" Executive ADA Style Lectern with electric height adjustment.	N/A		2 Years	US
SIN 219-12	L-500-48-ADA	48" Delegate ADA Style Lectern with electric height adjustment.	N/A		2 Years	US
Options & Accessories are a la carte. Configure the lectern the way you want!						
You must specify the wood and finish desired.						
The above prices are for the standard lectern without options.						
The above sizes are the standard sizes.						
Any finish is available in the Premier Line.						
All Premier Line Lecterns are made to order and are not returnable.						
Premier Line Lecterns						
The Executive Lectern Series 400						
SIN 219-12	L-400-25	25" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-32	32" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-32/32	32" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-40	40" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-40/32	40" wide, 32" deep, 48" high	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 219-12	L-400-48	48" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-48/32	48" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-60	60" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-400-60/32	60" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	LT-400-25	25" wide, 23.5" deep. Table top lectern.	N/A		2 Years	US
SIN 219-12	Laminate Number	Laminate option for any of the above lecterns. Call for price and availability of colors and patterns	N/A		2 Years	US
SIN 219-12	EL	Electric height adjustment - All EL to the part number not all options are available with this option	N/A		2 Years	US

Options & Accessories are a la carte. Configure the lectern the way you want!

The Delegate Lectern Series 500

SIN 219-12	L-500-25	25" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-32	32" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-32/32	32" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-40	40" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-40/32	40" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-48	48" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-48/32	48" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-60	60" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-500-60/32	60" wide, 32" deep, 48" high	N/A		2 Years	US
SIN 219-12	LT-500-25	25" wide, 23.5" deep. Table top lectern.	N/A		2 Years	US
SIN 219-12	Laminate Number	Laminate option for any of the above lecterns. Call for price and availability of colors and patterns	N/A			
SIN 219-12	EL	Electric height adjustment - All EL to the part number not all options are available with this option	N/A		2 Years	US

Options & Accessories are a la carte. Configure the lectern the way you want!

The Delegate Lectern will be shipped with slanted sides as standard. You must specify straight sides!

The Pedestal Lectern Series 600

SIN 219-12	L-600-25	25" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	L-600-32	32" wide, 23.5" deep, 48" high	N/A		2 Years	US
SIN 219-12	Laminate Number	Laminate option for any of the above lecterns. Call for price and availability of colors and patterns	N/A			

Options & Accessories are a la carte. Configure the lectern the way you want!

You must specify the wood and finish desired.
The above prices are for the standard lectern without options.
The above sizes are the standard sizes.
Any finish is available in the Premier Line.
The center column in the pedestal lectern is solid.

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
-----	-------------	---------------------	-------------------	---------------	----------	----

You can add two (2) shelves in the center column and rear door.
Please contact SIGCOM for pricing and availability.

All Premier Line Lecterns are made to order and are not returnable.

Options & Accessories for Premier Line Lecterns & Presentation Systems Furniture

Cutouts & Mountings for Touch Panels, CRT Monitors, LCD Monitors, etc.

SIN 219-12	LCD-Cutout	Custom work surface cutout for a panel mount LCD monitor.	N/A		2 Years	US
SIN 219-12	LCD-Cutout-DR	LCD panel cutout using KSI default size. Opening is 16" W by 13.5" H by 2" to 4" adjustable depth.	N/A		2 Years	US
SIN 219-12	LCD-Well	Custom LCD monitor well using customer supplied dimensions.	N/A		2 Years	US
SIN 219-12	LCD-Well-Df	LCD monitor well using KSI default size. Well is 16" W by 15.5" H by 10" D. Well portion is approximately 4" D.	N/A		2 Years	US
SIN 219-12	TP-Cutout	Work surface cutout for a touch panel, AMX, Crestron, etc.	N/A		2 Years	US
SIN 219-12	TP-turret	Surface mount turret for a touch panel --specify left or right mount on flat work surface.	N/A		2 Years	US

Please note: A proper fit is not guaranteed when KSI works from manufacturer and/or customer supplied drawings.

Work Surface Options

SIN 219-12	StandardWS	Our standard single sloped work surface. The slope will vary from 9 to 14 degrees.	N/A		2 Years	US
SIN 219-12	FlatWS	The work surface is flat and level over the entire area.	N/A		2 Years	US
SIN 219-12	SplitWS	The work surface has a sloped portion for a monitor or touch panel. The balance is flat.	N/A		2 Years	US
SIN 219-12	TwostepWS	The work surface has a rear sloped portion for monitors and touch panels. The forward section is flat.	N/A		2 Years	US
SIN 219-12	ThreestepWS	A large rear sloped portion for large LCD monitors. The forward section is flat, then angles downward.	N/A		2 Years	US
SIN 219-12	FourstepWS	A large rear sloped portion for a large LCD monitor. The forward section is flat, then angles downward.	N/A		2 Years	US
SIN 219-12	SecurityWS	The rear portion of a two step work surface has a locking fold down security panel.	N/A		2 Years	US

Please note: The work surface selected will be based on the intended use and equipment utilized.

*** Contact SIGCOM to see which work surface is best for you.**

Pull Out Drawers & Shelves for Keyboards, Visual Presenters, Storage, etc.

SIN 219-12	Key-Adj	Adjustable height keyboard/mouse shelf. Subject to space availability in the lectern or desk.	N/A		2 Years	US
SIN 219-12	Key-Fix	Fixed height keyboard/mouse shelf	N/A		2 Years	US
SIN 219-12	Key-Drawer	Fixed height keyboard/mouse drawer. This drawer has a solid front.	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 219-12	Key-Drawer-N	Fixed height keyboard/mouse drawer. This drawer has a notched down front.	N/A		2 Years	US
SIN 219-12	Key-Sct	Fixed height keyboard/mouse shelf with a flip down locking security panel.	N/A		2 Years	US
SIN 219-12	PR-SDR	Side pull out drawer for a visual presenter. Our standard is 25.375" D x 25" wide by 8.5" H. (Custom sizes available.)	N/A		2 Years	US
SIN 219-12	POS-FDD	Side pull out shelf with a flip down door. Use this for your visual presenter when space is tight.	N/A		2 Years	US
SIN 219-12	PR-RDR	Rear pull out drawer for storage. This drawer will use leftover space unless a size is specified.	N/A		2 Years	US
SIN 219-12	Pulloutshelf	Pull out side shelf for a laptop or visual presenter. The shelf is 2" high.	N/A		2 Years	US
SIN 219-12	Flipupshelf	Flip up/flip down side shelf for a visual presenter. 100 pounds capacity.	N/A		2 Years	US
SIN 219-12	Drawerlock	Different key code lock for a keyboard drawer, pull out side drawer or rear drawer. Standard is Code 346A.	N/A		2 Years	US

Please note: All drawers may be resized to accommodate your equipment subject to available space. If you are going to use a keyboard and a mouse, the drawer should be at least 30" wide. Contact SIGCOM for help in sizing.

Options & Accessories for Premier Line Lecterns & Presentation Systems Furniture

Lower Section, Pocket & Hinged Doors, Rack Mounts, Shelves, Removable Panels, etc.

SIN 219-12	Adjshelf	Adjustable shelf in lower section, price is per shelf.	N/A		2 Years	US
SIN 219-12	CPUtower	CPU tower space in lower section. Nominal space is 9.5" wide by 19.25" high. (Please specify your CPU size if it does not fit this space.)	N/A		2 Years	US
SIN 219-12	CPUpulloutshelf	CPU tower space in lower section. Nominal space is 9.5" wide by 18" high. (Please specify your CPU size if it does not fit this space.)	N/A		2 Years	US
SIN 219-12	PO-Door	Pocket doors in lower section, per 2 doors. Includes locks.	N/A		2 Years	US
SIN 219-12	RL-Door	Rear or front hinged doors, per 2 doors. Includes locks. We will use euro hinges as default. (Piano hinges may be required for space considerations.)	N/A		2 Years	US
SIN 219-12	270-Door	270 degree doors for lower section, per 2 doors. Includes locks	N/A		2 Years	US
SIN 219-12	Rem-Pnl	Removable front locking access panel for lower section.	N/A		2 Years	US
SIN 219-12	Fullrem-Pnl	Full front removable access panel for entire lectern. This adds 3/4" to the lectern depth. (Not available on the Delegate Style.)	N/A		2 Years	US
SIN 219-12	Rem-Bot	Removable bottom access panel	N/A		2 Years	US
40	RR-M	Rack mount in lower section. Standard is 11 spaces. (Additional rack spaces are limited based on other options that have been selected.)	N/A		2 Years	US
SIN 219-12	RR-Mpullout	Pull out rack mount in lower section. Standard is 10 spaces. (Additional rack spaces are limited based on other options that have been selected.)	N/A		2 Years	US
SIN 219-12	RR-CST3.5	Recessed swivel casters for non height adjustable lecterns & furniture. Per 4 casters.	N/A		2 Years	US

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 219-12	RR-CST3.5-lock	Recessed swivel casters for non height adjustable lecterns & furniture. 2 lock, 2 do not.	N/A		2 Years	US
SIN 219-12	RR-CST3.5-HA	Recessed swivel casters for EL height adjustable lecterns. Per 4 casters.	N/A		2 Years	US
<p>Please note: Availability of options depends on the size of your furniture. Contact SIGCOM if you should have questions. Need something you don't see? Contact SIGCOM for pricing and availability.</p>						
Electrical Options						
SIN 219-12	EL-RR-inlet	6 outlet power strip with surge protection and circuit breaker - standard with lecterns. (Connection is made with an electrical inlet.)	N/A		2 Years	US
SIN 219-12	FAN	Ventilation fan - with filter media and guard.	N/A		2 Years	US
SIN 219-12	Masterpower	Master power switch on lectern work surface.	N/A		2 Years	US
SIN 219-12	Acduplex	AC duplex outlet on work surface or other location.	N/A		2 Years	US
SIN 219-12	HLD-12	12" gooseneck lamp with dimmer. Halogen lamp.	N/A		2 Years	US
SIN 219-12	LCD-clock	LCD clock mounted into the work surface.	N/A		2 Years	US
SIN 219-12	Cable-well	3" round cable well keeps wires out of the way when not needed.	N/A		2 Years	US
SIN 219-12	XLR-Female	Female XLR input on the work surface. Comes with a ten foot shielded cable. Termination is bare wire.	N/A		2 Years	US
<p>Please note: All electrical wiring in all KSI furniture is modular and in metal electrical boxes.</p>						
Finish Options						
SIN 219-12	Standard Finish	Select one of our standard finishes. Contact SIGCOM for a listing of available finishes.	N/A		2 Years	US
SIN 219-12	Blend-Color	To blend a finish color. KSI will use our professional judgment for a commercially acceptable match.	N/A		2 Years	US
SIN 219-12	Control-Color	To blend a finish color. We will produce and send you a control sample for your approval.	N/A		2 Years	US
SIN 219-12	ACR-Lacquer	Acrylic lacquer varnish finish for black, white and other solid colors. This finish requires additional time.	N/A		2 Years	US
SIN 219-12	Laminate	Laminate finish. Please contact SIGCOM for pricing and availability on the laminate you require.	N/A			
<p>Please note: Control samples will require additional time to produce since your sample will be made from the same material as your order.</p>						
Plasma Lift Cabinets						
SIN 219-12	42" Plasma	Dark cherry plasma lift cabinet.	N/A		2 Years	US
SIN 219-12	Up to 60" Plasma	Light cherry plasma lift cabinet.	N/A		2 Years	US

All plasma lift cabinets are custom and made to order. Please contact SIGCOM for a personalized price quote.

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
-----	-------------	---------------------	-------------------	---------------	----------	----

Corporate Identity and Logos

KSI offers a full line of logos to compliment your presentation furniture. Laser engraving or CNC machining may be done in wood, metal and plastic. KSI also offers digitally printed plexiglass in any color. KSI has the ability to redraw your logo for a perfect look.

**Pricing is representative for the style shown in the current KSI catalog, Volume 5.
Your logo pricing will vary based on complexity and time required to accurately reproduce your logo.**

SIN 219-12	Digitally printed	Logo is digitally printed and recessed into the front of the lectern. Please refer to page 33 in the KSI catalog, Volume 5.	N/A		2 Years	US
SIN 219-12	Solid wood plaque	Logo is a solid wood plaque. CNC routed in solid maple. Please refer to page 33 in the KSI catalog, Volume 5.	N/A		2 Years	US
SIN 219-12	Routed front	Logo is filled with black lacquer. CNC routed into the front of the lectern. Please refer to page 33 in the KSI catalog, Volume 5.	N/A		2 Years	US
SIN 219-12	Machined brass	Logo is CNC machined in solid brass. Please refer to page 33 in the KSI catalog, Volume 5.	N/A		2 Years	US
SIN 219-12	Routed front	Logo is CNC routed directly into the front of the lectern. Letters are filled with matching PMS color ink. Please refer to page 34 in the KSI catalog, Volume 5.	N/A		2 Years	US
SIN 219-12	Routed front	Logo is CNC routed into the front of the lectern. Logo is filled with black lacquer. Please refer to page 34 in the KSI catalog, Volume 5.	N/A		2 Years	US
SIN 219-12	Routed front	Logo is CNC routed into the front of the lectern. Logo is filled with gold powder. Please refer to page 34 in the KSI catalog,	N/A		2 Years	US
SIN 219-12	Digitally printed	Logo is digitally printed onto the front of the lectern. Please refer to page 34 in the KSI catalog,	N/A		2 Years	US

**All KSI Premier Line Lecterns and Presentation Systems Furniture may be modified to suit your requirements.
Please contact SIGCOM for a personalized price quote.**

Lectern Consoles

SIN 219-12	Lectern Console 1A	Available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Lectern Console 2	Available in plain sliced natural cherry.	N/A		2 Years	US
SIN 219-12	96 Desk A	Available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Lectern Console 4	Available in medium cherry.	N/A		2 Years	US
SIN 219-12	Lectern Console 3	Available in white oak.	N/A		2 Years	US
SIN 219-12	Lectern Console 6	Available in mahogany.	N/A		2 Years	US

**Pricing is representative for the style shown in the current KSI catalog, Volume 5.
Please contact SIGCOM for a personalized price quote for the lectern console to suit your requirement.**

Presentation Desks

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
SIN 219-12	PR Desk 4	Available in medium cherry.	N/A		2 Years	US
SIN 219-12	60 Desk C	Available in dark mahogany.	N/A		2 Years	US
SIN 219-12	96 Desk C	Available in red oak.	N/A		2 Years	US
SIN 219-12	ADA Desk 4	Available in light cherry.	N/A		2 Years	US
SIN 219-12	PR Desk 5	Available in white maple.	N/A		2 Years	US
SIN 219-12	60 WKSTATB	Available in dark mahogany.	N/A		2 Years	US
SIN 219-12	PR Desk 3	Available in white maple.	N/A		2 Years	US
SIN 219-12	PR Desk 1	Available in red walnut.	N/A		2 Years	US

Pricing is representative for the style shown in the current KSI catalog, Volume 5.
Please contact SIGCOM for a personalized price quote for the presentation desk to suit your requirement.

Carts, Credenzas and Consoles

SIN 219-12	Credenza 8	Credenza available in dark mahogany.	N/A		2 Years	US
SIN 219-12	Credenza 7	Credenza available in dark walnut.	N/A		2 Years	US
SIN 219-12	Credenza 9	Credenza available in burnt cherry.	N/A		2 Years	US
SIN 219-12	PR Console 2	Console available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Credenza 4	Credenza available in dark mahogany with solid granite and diamond accents.	N/A		2 Years	US
SIN 219-12	Credenza 3	Credenza available in red walnut with detail molding.	N/A		2 Years	US
SIN 219-12	Credenza 2	Credenza available in red mahogany with detail molding.	N/A		2 Years	US
SIN 219-12	PR Cart 12	Cart available in natural cherry.	N/A		2 Years	US
SIN 219-12	PR-20	Cart available in dark cherry.	N/A		2 Years	US
SIN 219-12	Credenza 6	Credenza available in red oak with a medium oak finish.	N/A		2 Years	US
SIN 219-12	PR Cart 11	Cart available in plain sliced maple.	N/A		2 Years	US
SIN 219-12	PR Cart 14	Cart available in dark cherry.	N/A		2 Years	US
SIN 219-12	PRC-72M	Console available in dark mahogany.	N/A		2 Years	US
SIN 219-12	PR Cart 8	Cart available in dark cherry.	N/A		2 Years	US
SIN 219-12	PR Cart 5	Cart available in brown walnut.	N/A		2 Years	US
SIN 219-12	PR Cart 9	Cart available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	PRC 37-1	Console available in plain sliced red oak.	N/A		2 Years	US

Pricing is representative for the style shown in the current KSI catalog, Volume 5.
Please contact SIGCOM for a personalized price quote on the cart, credenza and/or console to suit your requirement.

Conference Tables

SIN 219-12	20' Conference Table	20-ft. Conference Table is available in dark mahogany.	N/A		2 Years	US
SIN 219-12	84" Oval Table	84-in. Oval Table is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	10' Wedge Table	10-ft. Wedge Table is available in plain sliced walnut.	N/A		2 Years	US

Pricing is representative for the style shown in the current KSI catalog, Volume 5.

KSI Professional, LLC



SIGCOM, Inc.
EQUIPMENT PRICELIST

SIN	Part Number	Product Description	Quantity Discount	GSA Net Price	Warranty	PP
Please contact SIGCOM for a personalized price quote on the conference table to suit your requirement.						
Premier Line Lecterns						
SIN 219-12	Aluminum 1	Premier Line Lectern is available in brushed aluminum.	N/A		2 Years	US
SIN 219-12	Delegate 12	Premier Line Lectern is available in natural cherry.	N/A		2 Years	US
SIN 219-12	Satesman 12	Premier Line Lectern is available in dark cherry, maple and walnut.	N/A		2 Years	US
SIN 219-12	Birdseye	Premier Line Lectern is available in birdseye maple.	N/A		2 Years	US
SIN 219-12	Delegate 17	Premier Line Lectern is available in plain sliced maple.	N/A		2 Years	US
SIN 219-12	Presidential Lectern	Premier Line Lectern is available in dark cherry.	N/A		2 Years	US
SIN 219-12	Delegate 18	Premier Line Lectern is available in plain sliced red oak with clear finish.	N/A		2 Years	US
SIN 219-12	Congressional 6	Premier Line Lectern is available in light cherry.	N/A		2 Years	US
SIN 219-12	Delegate 10	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Congressional 10	Premier Line Lectern is available in rift sawn natural cherry.	N/A		2 Years	US
SIN 219-12	Delegate 16	Premier Line Lectern is available in natural cherry.	N/A		2 Years	US
SIN 219-12	Delegate 14	Premier Line Lectern is available in coppertone laminate.	N/A		2 Years	US
SIN 219-12	Statesman 22	Premier Line Lectern is available in dark mahogany.	N/A		2 Years	US
SIN 219-12	Executive 8	Premier Line Lectern is available in burnt cherry.	N/A		2 Years	US
SIN 219-12	Statesman 27	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Statesman 28	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Statesman 16	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Statesman 17	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Statesman 30	Premier Line Lectern is available in plain sliced white maple.	N/A		2 Years	US
SIN 219-12	Statesman 11	Premier Line Lectern is available in dark mahogany.	N/A		2 Years	US
SIN 219-12	Delegate 22	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US
SIN 219-12	Delegate 21	Premier Line Lectern is available in dark cherry with logo.	N/A		2 Years	US
SIN 219-12	Statesman 18	Premier Line Lectern is available in plain sliced red oak.	N/A		2 Years	US

**Pricing is representative for the style shown in the current KSI catalog, Volume 5.
Please contact SIGCOM for a personalized price quote on the Premier Line Lectern to suit your requirement.**