



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>Modero RGB Kits</b>					
132-8	NXT-1200VG RGB Kit	Modero VG Series 12" Table Top with RGB Option, Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, NXA-MTC/RGB Table Top Cable, and TP-RGBCBL Breakout Cable		3 & 1*	US
132-8	NXT-1500VG RGB Kit	Modero VG Series 15" Table Top with RGB Option, Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, NXA-MTC/RGB Table Top Cable, and TP-RGBCBL Breakout Cable		3 & 1*	US
132-8	NXT-1700VG RGB Kit	Modero VG Series 17" Table Top with RGB Option, Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, NXA-MTC/RGB Table Top Cable, and TP-RGBCBL Breakout Cable		3 & 1*	US
132-8	NXD-1200VG RGB Kit	Modero VG Series 12" Wall/Flush Mount with RGB Option, Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, and TP-RGBCBL Breakout Cable		3 & 1*	US
132-8	NXD-1500VG RGB Kit	Modero VG Series 15" Wall/Flush Mount with RGB Option, Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, and TP-RGBCBL Breakout Cable		3 & 1*	US
132-8	NXD-1700VG RGB Kit	Modero VG Series 17" Wall/Flush Mount with RGB Option, Includes VG Touch Panel, NXA-AVB/RGB, NXA-RGB Card, and TP-RGBCBL Breakout Cable		3 & 1*	US
<b>Modero Video Kits</b>					
132-8	NXT-1200VG Video Kit	Modero VG Series 12" Table Top, Includes VG Touch Panel, NXA-AVB/ETHERNET, and Table Top Cable		3 & 1*	US
132-8	NXT-1500VG Video Kit	Modero VG Series 15" Table Top, Includes VG Touch Panel, NXA-AVB/ETHERNET, and Table Top Cable		3 & 1*	US
132-8	NXT-1700VG Video Kit	Modero VG Series 17" Table Top, Includes VG Touch Panel, NXA-AVB/ETHERNET, and Table Top Cable		3 & 1*	US
132-8	NXD-1200VG Video Kit	Modero VG Series 12" Wall/Flush Mount, Includes VG Touch Panel and NXA-AVB/ETHERNET		3 & 1*	US
132-8	NXD-1500VG Video Kit	Modero VG Series 15" Wall/Flush Mount, Includes VG Touch Panel and NXA-AVB/ETHERNET		3 & 1*	US
132-8	NXD-1700VG Video Kit	Modero VG Series 17" Wall/Flush Mount, Includes VG Touch Panel and NXA-AVB/ETHERNET		3 & 1*	US
<b>Modero RGB Kits</b>					
132-8	NXT-1200	Modero Next Generation 12" Table Top, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXD-1200	Modero Next Generation 12" Wall/Flush Mount, Black with Platinum Trim Ring		3 & 1*	US
<b>Modero Color Video (Includes NXA-AVB)</b>					
132-8	NXT-CV7	Modero Color Video 7" Widescreen Table Top, Black w/Platinum Trim Ring		3 & 1*	US
132-8	NXT-CV12	Modero Color Video 12" Table Top Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXT-CV15	Modero Color Video 15" Table Top Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXT-CV17	Modero Color Video 17" Table Top Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXD-CV7	Modero Color Video 7" Widescreen Wall/Flush Mount w/two Bezel sets (6 programmable buttons and no buttons) Black w/Platinum Trim Ring		3 & 1*	US
132-8	NXD-CV12	Modero Color Video 12" Flush Mount Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXD-CV15	Modero Color Video 15" Flush Mount Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXD-CV17	Modero Color Video 17" Flush Mount Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
<b>Modero Color Active</b>					
132-8	NXT-CA12	Modero Color Active 12" Table Top Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXT-CA15	Modero Color Active 15" Table Top Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXD-CA12	Modero Color Active 12" Flush Mount Touch Panel, Black with Platinum Trim Ring		3 & 1*	US
132-8	NXD-CA15	Modero Color Active 15" Flush Mount Touch Panel, Black with Platinum Trim Ring		3 & 1*	US



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>Modero Accessories</b>					
132-8	NXA-USBCC	<b>Computer Control</b> - USB Stick with Windows and MacIntosh Versions of G4 Computer Control (Memory Stick Contains G4CC Application both WIN and MAC, Configuration Utility, NetLinx Sample Code, and Documentation)		3 & 1*	US
132-8	NXA-USBTN	<b>TakeNote</b> - USB Stick with TakeNote Annotation Application and Computer Control (Memory Stick Contains TakeNote, G4CC Application, Configuration Utility, and Documentation) - Windows Only		3 & 1*	US
132-8	NXA-AVB/ETHERNET	Audio/Video Breakout Box with Composite Video, and Ethernet Pass Through		3 & 1*	US
132-8	NXA-AVB/RGB	Audio/Video Breakout Box with RGB/Component, Composite Video, and Ethernet Pass Through		3 & 1*	US
132-8	NXA-AVB	Audio/Video Breakout Box		3 Years	US
132-8	NXA-RGBKIT	RGB Upgrade Kit for Modero VG Series, Includes NXA-RGB, NXA-AVB/RGB, NXA-MTC/RGB, and TP4-RGBCBL		3 & 1*	US
132-8	NXA-RGB	Modero VG Series RGB Option Card		3 & 1*	US
132-8	NXA-MTC/RGB	Modero Table Top Cable for VG Series (Three CAT-5 cables plus power)		3 & 1*	US
132-8	NXA-CFTP128M	128 MB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFTP256M	256 MB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFTP512M	512 MB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFTP1G	1 GB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFSP128M	128 MB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFSP256M	256 MB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFSP512M	512 MB Compact FLASH Upgrade		3 Years	US
132-8	NXA-CFSP1G	1 GB Compact FLASH Upgrade		3 Years	US
132-8	NXA-EM128M	128 MB SDRAM Upgrade		3 Years	US
132-8	NXA-EM256M	256 MB SDRAM Upgrade		3 Years	US
132-8	CB-TP7	Conduit Box for NXD-CV7		1 Year	US
132-8	CB-TP12	Conduit Box for NXD-CV12 & NXD-CA12		1 Year	US
132-8	CB-TP15	Conduit Box for NXD-CV15 & NXD-CA15		1 Year	US
132-8	CB-TP17	Conduit Box for NXD-CV17		1 Year	US
132-8	NXA-RK7	Rack Mount Kit for NXD-CV7		3 Years	US
132-8	NXA-RK12	Rack Mount Kit for NXD-CV12 & NXD-CA12		3 Years	US
132-8	NXA-RK15	Rack Mount Kit for NXD-CV15 & NXD-CA15		3 Years	US
132-8	NXA-RK17	Rack Mount Kit for NXD-CV17		3 Years	US
132-8	MB-TP12	VESA Mount Back Shell Kit for 12" NXD-CV12 & NXDCA12		3 Years	US
132-8	MB-TP15	VESA Mount Back Shell Kit for 15" NXD-CV15 & NXDCA15		3 Years	US
132-8	MB-TP17	VESA Mount Back Shell Kit for 17" Modero		3 Years	US
132-8	NXA-WCKIT	Modero Next Generation Series 802.11g Wireless, Upgrade Kit for NXD style panels (Includes, NXA-PCI80211G card and antenna)		3 & 1*	US
132-8	NXA-PCI80211G	Modero Next Generation Series 802.11g Wireless Card		3 & 1*	US
132-8	NXA-WC80211B	Modero 802.11b Wireless Network Interface Card for 12", 15", and 17" Touch Panels		3 & 1*	US
132-8	NXA-WC80211B/CF	Modero 802.11b Wireless Network Interface Card for 7" Touch Panels		3 & 1*	US
132-8	NXT-BP	Battery Pack for Modero Battery Base NXA-Base B		N/A	US
132-8	NXA-BASE/B Kit	Modero Battery Base Kit for 12", 15" and 17" NXT Touch Panels (Includes NXA-BASE/B Modero Battery Base and 2 NXT-BP Modero Power Pack Batteries)		3 & 1*	US
132-8	NXA-BASE/1 Kit	Modero 7" Battery Base Kit (Base and Battery)		N/A	US
132-8	NXT-CHG Kit	Modero Quick Charger Kit (Includes NXT-CHG Modero Power Station charger and 2 NXT-BP Modero Power Pack Batteries)		3 & 1*	US



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>Modero ViewPoint Color Wireless Touch Panels</b>					
132-8	MVP-7500	Modero ViewPoint 7.5" Passive Display		3 & 1*	US
132-8	MVP-8400	Modero ViewPoint 8.4" Active Matrix Display		3 & 1*	US
<b>Modero ViewPoint Accessories</b>					
132-8	MVP-TDS	Modero ViewPoint Table Top Docking Station		3 Years	US
132-8	MVP-WDS	Modero ViewPoint Wall/Flush Mount Docking Station		3 Years	US
132-8	MVP-BP	Modero ViewPoint Battery Pack		N/A	US
132-8	MVP-KS	Modero ViewPoint Kick Stand		1 Year	US
132-8	MVP-STYLUS	Modero ViewPoint Stylus Pack of 3		3 Years	US
132-8	NXA-WAP200G	802.11g Wireless Access Point		3 Years	US
132-8	NXA-WAP2403A	Ceiling Mount Omnidirectional Antenna Option for NXA-WAP200G		3 Years	US
132-8	NXA-WAP2405A	Rack / Ceiling Mount Omnidirectional Antenna Option for NXA-WAP200G		3 Years	US
132-8	NXA-WAP2410A	Outdoor Enclosed Yagi Antenna Option for NXA-WAP200G		3 Years	US
132-8	NXA-WAP2413A	Indoor / Outdoor Directional Panel Antenna Option for NXA-WAP200G		3 Years	US
132-8	CB-MVPWDS	Conduit Box for MVP Wall/Flush Mount Docking Station		1 Year	US
<b>MVP 8400 Experience Kits</b>					
132-8	EXP-8430	AMX EXPeRience Kit - Hardware included: MVP-8400, NI-3000, NXA-WAP200G, MVP-KS, PSN4.4, CC-NET, CC-SER, CC-USB. Software CD with AMX Design tools including: Design XPress & Design XPress - Home Theater, Design XPress Professional, PanelBuilder, PanelPreview		3 & 1*	US
132-8	EXP-8420	AMX EXPeRience Kit - Hardware included: MVP-8400, NI-2000, NXA-WAP200G, MVP-KS, PSN4.4, CC-NET, CC-SER, CC-USB. Software CD with AMX Design tools including: Design XPress & Design XPress - Home Theater, Design XPress Professional, PanelBuilder, PanelPreview		3 & 1*	US
<b>MVP 7500 Experience Kits</b>					
132-8	EXP-7530	AMX EXPeRience Kit - Hardware included: MVP-7500, NI-3000, NXA-WAP200G, MVP-KS, PSN4.4, CC-NET, CC-SER, CC-USB. Software CD with AMX Design tools including: Design XPress & Design XPress - Home Theater, Design XPress Professional, PanelBuilder, PanelPreview		3 & 1*	US
132-8	EXP-7520	AMX EXPeRience Kit - Hardware included: MVP-7500, NI-2000, NXA-WAP200G, MVP-KS, PSN4.4, CC-NET, CC-SER, CC-USB. Software CD with AMX Design tools including: Design XPress & Design XPress - Home Theater, Design XPress Professional, PanelBuilder, PanelPreview		3 & 1*	US
<b>Touch Panel Interface 4</b>					
132-8	NXP-TPI/4	NetLinX Touch Panel Interface 4		3 & 1*	US
132-8	TP4-VID	TPI/4 Video Input Card		1 Year	US
132-8	TP4-RGB	TPI/4 RGB and VGA Input Card		1 Year	US
<b>Touch Panel Interface Accessories</b>					
132-8	TP4-RGBCBL	RGB Breakout Cable, 15 Pin Female		1 Year	US
132-8	NXA-CFTPI128M	128 MB Compact FLASH Upgrade for TPI 4		1 Year	US
132-8	NXA-CFTPI256M	256 MB Compact FLASH Upgrade for TPI 4		1 Year	US
132-8	NXA-CFTPI512M	512 MB Compact FLASH Upgrade for TPI 4		1 Year	US
132-8	NXA-CFTPI1G	1 GB Compact FLASH Upgrade for TPI 4		1 Year	US
132-8	NXA-EXM128M	128 MB SDRAM Upgrade for TPI 4		1 Year	US
132-8	NXA-EXM256M	256 MB SDRAM Upgrade for TPI 4		1 Year	US
<b>ViewPoint Color Wireless Touch Panels</b>					
Note: All ViewPoint Touch Panels also provide 38/455 KHz IR transmission					
132-8	VPN-CP	2-Way ViewPoint Color Wireless Touch Panel, 2.4 GHz, Black (includes VPA-BP battery)		3 & 1*	US
132-8	VPT-CP	1-Way ViewPoint Color Wireless Touch Panel, Black. Includes VPA-BP battery (Radio Frequencies available: 304, 310, 315, 418, 433 MHz). Specify required frequency.		3 & 1*	US
132-8	VPA-BP	ViewPoint Rechargeable Battery (NiMH)		N/A	US
132-8	VPA-DS	ViewPort Docking Station, Black		3 Years	US
132-8	AXR-NWS	NetWave Server (NetWave 2-way 2.4 GHz receiver, AXLink)		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>1-Way Wireless RF and IR Receivers</b>					
132-8	AXR-RF	RF Receiver, AXLink (Specify required frequency: 304, 310, 315, 418, 433 MHz)		3 Years	US
132-8	AXR-IRSM+	Swivel Mount IR Receiver (AXlink, 38/455 kHz IR)		3 Years	US
132-8	AXD-IR+	Flush Mount IR Receiver, AXLink, 38/455 kHz IR (Specify Black or White)		3 Years	US
132-8	IRX-SM+	Swivel Mount IR Sensor (38/455 kHz IR)		3 Years	US
132-8	IRX-DM+	Flush Mount IR Sensor, 38/455 kHz IR (Specify Black or White)		3 Years	US
<b>10.4" Color Graphic Active-Matrix LCD</b>					
132-8	AXT-CG10	10.4" Color Graphic Table Top, Black		3 & 1*	US
132-8	AXD-CG10	10.4" Color Graphic Flush/Wall Mount Touch Panel (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXD-CG10/PB	10.4" Color Graphic Flush/Wall Mount Touch Panel, External Pushbuttons (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXM-CG10	10.4" Color Graphic Rack Mount Touch Panel, Black		3 & 1*	US
132-8	AXM-CG10/PB	10.4" Color Graphic Rack Mount Touch Panel, External Pushbuttons, Black		3 & 1*	US
<b>10.4" Color Video Active-Matrix LCD</b>					
132-8	AXT-CV10	10.4" Color Video Table Top Touch Panel, Black		3 & 1*	US
132-8	AXD-CV10	10.4" Color Video Flush/Wall Mount Touch Panel (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXD-CV10/PB	10.4" Color Video Flush/Wall Mount Touch Panel, External Pushbuttons (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXM-CV10	10.4" Color Video Rack Mount Touch Panel, Black		3 & 1*	US
132-8	AXM-CV10/PB	10.4" Color Video Rack Mount Touch Panel, External Pushbuttons, Black		3 & 1*	US
<b>10.4" Color Active-Matrix LCD</b>					
132-8	AXT-CA10	10.4" Color Active Table Top, Black		3 & 1*	US
132-8	AXD-CA10	10.4" Color Active Flush/Wall Touch Panel (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXD-CA10/PB	10.4" Color Active Flush/Wall Touch Panel, External Pushbuttons (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXM-CA10	10.4" Color Active Rack-Mount Touch Panel, Black		3 & 1*	US
132-8	AXM-CA10/PB	10.4" Color Active Rack-Mount Touch Panel, External Pushbuttons, Black		3 & 1*	US
132-8	CB-TP3	Conduit Box for AXD-CA10/CV10/CG10		1 Year	US
132-8	EXM-1MB	1 MB Extended Memory for AXT-CP (8.5" Color Touch Panels, LC w/G3 Firmware)		3 & 1*	US
<b>6" Color Video Touch Panels</b>					
132-8	AXD-CV6	6" Color Video Flush/Wall Mount Touch Panel (Specify Black or White)		3 & 1*	US
132-8	CB-CV6	Conduit Box for AXD-CV6 Touch Panel		1 Year	US
<b>6" Table Top Enclosure</b>					
132-8	AC-CV6T	Table Top Enclosure for AXD-CV6 (Specify Dark Gray, Platinum or Paintable Unfinished Aluminum)		3 Years	US
<b>5.5" Color Passive-Matrix LCD</b>					
132-8	AXT-MCP	5.5" Color Table Top Mini Touch Panel, Black		3 & 1*	US
132-8	AXT-MCP/PB	5.5" Color Table Top Mini Touch Panel, External Pushbuttons, Black		3 & 1*	US
132-8	AXD-MCP	5.5" Color Flush/Wall Mount Mini Touch Panel (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXD-MCP/PB	5.5" Color Flush/Wall Mount Mini Touch Panel, External Push (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXM-MCP	5.5" Color Rack+D207 Mount Mini Touch Panel, Black		3 & 1*	US
132-8	AXM-MCP/PB	5.5" Color Rack Mount Mini Touch Panel, External Pushbuttons, Black		3 & 1*	US
132-8	CB-MTP	Conduit Box for AXD-MCP and AXD-MCP/PB		1 Year	US



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>4" Color Passive-Matrix LCD with Audio</b>					
132-8	AXT-CP4/A	4" Color Table Top Touch Panel with Audio (Specify Dark Gray or Platinum)		3 & 1*	US
132-8	AXD-CP4A	4" Color Flush/Wall Mount Touch Panel w/Audio (Specify 3 color Bezel, Black, Almond or White)		3 & 1*	US
132-8	AC-CP4/WRB	Water Resistant Bezel Set of (1 white, 1 black, 1 almond) for AXD-CP4/A		3 & 1*	US
132-8	CB-CP4/A	Conduit Box for AXD-CP4/A		1 Year	US
<b>LCD Touch Monitor</b>					
132-8	PTM-D15	Platinum Series 15" Multimedia Touch Monitor		3 & 1*	US
132-8	VTM-D15/A	15" Table Top Touch Monitor		3 & 1*	US
132-8	VTM-D15/AB	15" Table Top Touch Monitor plus Surface Mount Bracket		3 & 1*	US
132-8	VTM-WMB	Wall Mounting Bracket for VTM-D15/A		3 & 1*	US
<b>15" Multimedia System</b>					
132-8	VTM-D15/AS	VTM-D15/A MultiMedia Table Top System, includes 15" VTM-D15/A, AXB-TPI/3 and TP3-VID		3 & 1*	US
132-8	VTM-D15/ASB	VTM-D15/A MultiMedia Surface Mount System, includes 15" VTM-D15/A, AXB-TPI/3 and TP3-VID		3 & 1*	US
132-8	PTM-D15/AS	PTM-D15/A MultiMedia Surface Mount System, includes 15" PTM-D15, NXP-TPI/4 and TP4-VID		3 & 1*	US
132-8	PTM-D15/ASRGB	PTM-D15/A MultiMedia Table Top System includes 15" PTM-D15, NXP-TPI/4 and TP4-RGB		3 & 1*	US
132-8	AXB-TPI/3	Touch Panel Interface 3		1 Year	US
132-8	TP3-VID	TPI/3 Video Input Card		1 Year	US
132-8	TP3-RGB	TPI/3 RGB Input Card		1 Year	US
132-8	TP3-VGA	TPI/3 VGA Input Card		1 Year	US
<b>TXC Remotes</b>					
132-8	TXC-24IR	24-Button, Credit Card IR Remote		3 & 1*	US
132-8	TXC4+	4-Button Transmitter, 38/455 kHz IR (Specify required frequency: 304, 310, 315, 418, 433 MHz)		3 & 1*	US
132-8	TXC4L+	4-Button Transmitter with Laser Pointer, 38/455 kHz IR (Specify required frequency: 304, 418 MHz)		3 & 1*	US
132-8	TXC16+	16-Button Transmitter, 38/455 kHz IR (Specify required frequency: 304, 310, 315, 418, 433 MHz)		3 & 1*	US
132-8	TXC32+	32-Button Transmitter, 38/455 kHz IR (Specify required frequency: 304, 310, 315, 418, 433 MHz)		3 & 1*	US
<b>2-Way Wireless Receiver</b>					
132-8	AXR-NWS	NetWave Server (NetWave 2-way 2.4 GHz receiver, AXLink)		3 Years	US
132-8	NWA-EXT	NetWave Server External Antenna (6 foot cable)		3 Years	US
<b>DMS Keypads</b>					
132-8	PLK-DMS	Direct Menu Select Keypad, Downloadable NetLinX Module required / Landmark ready (Specify Black, White, Ivory or Almond)		3 & 1*	US
132-8	PLK-DIAG	Landmark DMS Diagnostic Keypad		3 & 1*	US
<b>SB Keypads</b>					
132-8	PLK-SB	1 and 2 Button Flush Mount Keypad, Decora style, Downloadable NetLinX Module required / Landmark ready (Specify Black, White or Ivory Decora Style. Faceplate Not Included)		3 & 1*	US
<b>Wired Keypads</b>					
132-8	AXD-MSP8	Softwire 8-Button Keypad, AXLink, 1 bargraph, 1 gang (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXD-MSP16	Softwire 16-Button Keypad, AXLink, 2 bargraph, 2 gang (Specify Black, White or Ivory)		3 & 1*	US
132-8	AXD-MSP32	Softwire 32-Button Keypad, AXLink, 3 bargraph, 3 gang (Specify Black, White or Ivory)		3 & 1*	US
<b>Wired Panels</b>					
132-8	AXM-MSP32	Softwire 32-Button Keypad Rack Mount (2 rack spaces, 3 bargraphs)		3 & 1*	US
132-8	AXU-SP+	UniMount Softwire Panel (up to 64 buttons, 3 bargraphs)		3 & 1*	US
132-8	AXM-SP+	Rack-Mount Softwire Panel (up to 64 buttons, 3 bargraphs)		3 & 1*	US



SIN	Product Number	Description	GSA Price	Warranty	COO
132-8	CB-SP+	Conduit Box for AXU-SP+		1 Year	US
<b>Mini-LCD Panels</b>					
132-8	AXP-MLCD	Mini-LCD Panel		3 & 1*	US
132-8	AXU-MLCD	UniMount Mini-LCD Panel		3 & 1*	US
132-8	CB-MLCD	Conduit Box for AXU-MLCD		3 Years	US
<b>Custom Panel Interfaces</b>					
132-8	NXP-CPI16	NetLinX Custom Panel Interface (16 inputs/outputs and 2 quadrature inputs)		3 Years	US
132-8	AXP-AI8	Analog 8-Input Board (joystick and potentiometer interface)		3 Years	US
132-8	AXP-CPI	Custom Panel Interface (up to 64 buttons, 4 bargraphs)		3 Years	US
132-8	AXP-CPI16	Custom Panel Interface Board (up to 16 buttons or 16 inputs/outputs)		3 Years	US
132-8	AXP-CPIL	LED Custom Panel Interface Board (up to 64 buttons, 2 bargraphs)		3 Years	US
132-8	WPD8	8-Button Low Voltage Keypad (Specify Black, White or Ivory)		1 Years	US
132-8	WPDR	SPDT Rocker Switch (Specify Black, White or Ivory)		1 Years	US
<b>NetLinX Integrated Controllers</b>					
132-8	NI-700	Small Room Integrated Master/NetLinX controller: 1 IR Port, 4 I/O Ports, 1 IR Input Port and 2 RS-232/422/485 Ports, with Ethernet and AxLink in a 1/3 Rack Width Form Factor		3 & 1*	US
132-8	NI-2000	Integrated Master/NetLinX controller in a single unit with same functionality of NXI and ME260, 4 IR Ports, 4 I/O Ports, 4 Relays, and 3 RS-232/422/485 Ports		3 & 1*	US
132-8	NI-3000	Integrated Master/NetLinX controller in a single unit with same functionality of NXI and ME260, 8 IR Ports, 8 I/O Ports, 8 Relays, and 7 RS-232/422/485 Ports		3 & 1*	US
132-8	NI-4000	Integrated Master/NetLinX controller in a single unit with same functionality of NXI and ME260, 8 IR Ports, 8 I/O Ports, 8 Relays, and 7 RS-232/422/485 Ports with 4 NXC Card Slots		3 & 1*	US
<b>NetLinX Contoller and CardFrame</b>					
132-8	NXI (1-3)	NetLinX Integrated Controller (Controller only, requires Master or Hub Card) Quantity 1-3		3 Years	US
132-8	NXI (4-11)	NetLinX Integrated Controller (Controller only, requires Master or Hub Card) Quantity 4-11		3 Years	US
132-8	NXI (12+)	NetLinX Integrated Controller (Controller only, requires Master or Hub Card) Quantity 12+		3 Years	US
132-8	NXF	NetLinX CardFrame with 12 card slots (CardFrame only, requires Master or Hub Card)		3 Years	US
132-8	NXF-MINI	NetLinX Mini CardFrame, ICSNet Interface with 4 NetLinX Card, Card Slots		3 Years	US
<b>NetLinX Master Cards and Modules</b>					
132-8	NXC-ME260	NetLinX Master260 Card, Ethernet		3 Years	US
<b>NetLinX Hub Cards and Modules</b>					
132-8	NXS-NMS	NetModule Shell (houses all NXC control cards)		3 Years	US
132-8	NXC-NH	NetLinX ICSNet Hub Card		3 Years	US
132-8	NXC-HS	NetLinX ICSHub Server Card		3 Years	US
132-8	NXC-HE	NetLinX ICSHub Expander Card		3 Years	US
132-8	NXS-MHS	Master/Hub Module Shell (includes faceplates for Master and Hub)		3 Years	US
<b>NetLinX Control Cards</b>					
132-8	NXC-IRS4	4-Port IR/S Card, 4 IR/S and 4 inputs		3 Years	US
132-8	NXC-COM2	Dual COM Port Card, 2 RS-232/422/485		3 Years	US
132-8	NXC-REL10	Relay Card, 10 Channels		3 Years	US
132-8	NXC-I/O10	Input/Output Card, 10 Channels		3 Years	US
132-8	NXC-VAI4	Voltage Output/Analog Input Card, 4 Channels		3 Years	US
132-8	NXC-VOL4	Volume Card, 4 Channels		3 Years	US
<b>NetLinX System Accessories</b>					
132-8	AC-SMB	Surface Mount Bracket Set for NI-700 Controller		1 Years	US
132-8	NXA-CFNI64M	NXA-CFNI64M, NI-XXXX 64MB Flash Upgrade		3 Years	US
132-8	NXA-CFNI128M	NXA-CFNI128M, NI-XXXX 128 MB Flash Upgrade		3 Years	US
132-8	NXA-CFNI256M	NXA-CFNI256M, NI-XXXX 256MB Flash Upgrade		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
132-8	NXA-CFNI512M	NXA-CFNI512M, NI-XXXX 512 MB Flash Upgrade		3 Years	US
132-8	NXA-CFNI1G	NXA-CFNI1G, NI-XXXX 1GB Flash Upgrade		3 Years	US
132-8	NXA-CFM32M	32MB Compact FLASH Upgrade for ME260		3 Years	US
132-8	NXA-CFM64M	64MB Compact FLASH Upgrade for ME260		3 Years	US
132-8	NXA-CFM128M	128MB Compact FLASH Upgrade for ME260		3 Years	US
132-8	NXA-CFM256M	256MB Compact FLASH Upgrade for ME260		3 Years	US
132-8	NXA-CFM512M	512MB Compact FLASH Upgrade for ME260		3 Years	US
132-8	NXA-CFM1G	1 GB Compact FLASH Upgrade for ME260		3 Years	US
132-8	EXA	Ethernet Crossover Adapter		3 Years	US
132-8	NCK	NetLinX Connector Kit		3 Years	US
<b>NetLinX Wireless System Package</b>					
132-8	NI-CPNW (1-3)	NetLinX 2-Way Wireless System Package: Includes 2-way ViewPoint (VPN-CP), NiMH battery pack (VPA-BP), docking station (VPA-DS), charging power supply (PS2.8), NI-2000 w/power supply (PSN2.8), NetWave server (AXR-NWS), programming cables and 2 IR Emitters. Quantity 1-3		3 & 1*	US
132-8	NI-CPNW (4+)	NetLinX 2-Way Wireless System Package: Includes 2-way ViewPoint (VPN-CP), NiMH battery pack (VPA-BP), docking station (VPA-DS), charging power supply (PS2.8), NI-2000 w/power supply (PSN2.8), NetWave server (AXR-NWS), programming cables and 2 IR Emitters. Quantity 4+		3 & 1*	US
132-8	VPX-CPNI (1-3)	NetLinX 1-Way Wireless System Package: Includes 1-way ViewPoint (VPT-CP), charging power supply (PS2.8), NiMH battery pack (VPA-BP), docking station (VPA-DS), power supply (PSN2.8), receiver (AXR-RF), programming cable and 2 IR Emitters. (Specify Frequency Required: 304, 310, 315, 418, 433 MHz) Quantity 1-3		3 & 1*	US
132-8	VPX-CPNI (4+)	NetLinX Wireless System Package, 1 Way (Specify Frequency Required: 304, 310, 315, 418, 433 MHz) Quantity 4+		3 & 1*	US
<b>NetLinX Platinum Series Solutions</b>					
132-33	NSK-DEDU	Education Solution System, Deluxe Edition		90 Days	US
132-33	NSS-DEDU	Education Solution Software, Deluxe Edition		90 Days	US
132-33	NSK-PEDU	Education Solution System, Premium Edition		90 Days	US
132-33	NSS-PEDU	Education Solution Software, Premium Edition		90 Days	US
132-33	NSK-DENT	Entertainment Solution System, Deluxe Edition		90 Days	US
132-33	NSS-DENT	Entertainment Solution Software, Deluxe Edition		90 Days	US
132-33	NSK-PENT	Entertainment Solution System, Premium Edition		90 Days	US
132-33	NSS-PENT	Entertainment Solution Software, Premium Edition		90 Days	US
132-33	NSK-DPRES	Presentation Solution System, Deluxe Edition		90 Days	US
132-33	NSS-DPRES	Presentation Solution Software, Deluxe Edition		90 Days	US
132-33	NSK-PPRES	Presentation Solution System, Premium Edition		90 Days	US
132-33	NSS-PPRES	Presentation Solution Software, Premium Edition		90 Days	US
132-33	NSS-VOTE	Voting Software Solution		90 Days	US
<b>integration! Solutions</b>					
132-33	FG070-512	il-Database Plus - Access network databases using NetLinX		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-503	il-EquipmentMonitor - Receive email alerts of system events		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-511	il-FTPSender - Load files into NetLinX from FTP servers		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-510	il-PCLink PowerPoint - AMX controls PowerPoint presentations		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-509	il-PCLink Web - Launch PC applications from a Touch Panel		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-515	il-Schedule - Control systems events based on date/time		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-517	il-TimeManager - Set internal clock from internet server		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	
132-33	FG070-520	il-WebControl - Control system from internet web pages		Available at no charge at <a href="http://www.amx.com">www.amx.com</a>	



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>NetLinX Software Solutions</b>					
MeetingManager 1.x					
132-33	NSS-MMSV	MeetingManager Application with 2 NetLinX Mater Licenses		1 Year	US
132-33	NSS-MMCL	Single (1) NetLinX Master License for Meeting Manager		1 Year	US
<b>MeetingManager 2.0</b>					
132-33	NSS-MMSV	MeetingManager Application with 2 NetLinX Mater Licenses (Available as free upgrade to any MeetingManager 1.0 pkg purchase prior to Oct 1, 2004.		1 Year	US
132-33	NSS-MMCL	Single (1) NetLinX Master License for MeetingManager (Available as free upgrade to any MeetingManager 1.0 pkg purchase prior to Oct 1, 2004.		1 Year	US
132-33	NSS-PFFRAME	Picture Frame Application		1 Year	US
132-33	NSS-WEATHER	il-Weather NetLinX Applicayion - Control events based on weather conditions (Includes software & 3 yr subscription to weather services)		1 Year	US
<b>Input Sensors</b>					
132-8	PCS	Power Current Sensor (110VAC only)		1 Year	US
132-8	PCS2	Dual Power Current Sensor (110VAC only)		1 Year	US
132-8	VSS2	Video Sync Sensor (2 I/O channels)		1 Year	US
132-8	RTS-1	Room Temperature Sensor (requires AXC-TEMP card)		1 Year	US
132-8	TVS	TV Sensor		1 Year	US
<b>Contact Closure Interfaces</b>					
132-8	AV2SM	Auto/Manual Video Switcher (2 x 1 video/stereo audio follow)		1 Year	US
132-8	PC1	Power Controller,10 A (110 VAC only)		1 Year	US
132-8	PC2	Dual Power Controller, 5 A (110 VAC only)		1 Year	US
132-8	UPC20+	Universal Power/Motor Controller, 20 A (110/220 VAC)		1 Year	US
<b>System Tools</b>					
132-8	EXA	Ethernet Crossover Adapter		1 Year	US
132-8	ABS	AXlink Bus Strip		1 Year	US
132-8	STS	Serial To Screw terminal adapter (DB9 female to screw terminals)		1 Year	US
132-8	IRIS	IR/Serial Data Capture Device		1 Year	US
132-8	PM-TERM	ICSNet 120Ohm Terminator (20 pack)		1 Year	US
132-8	PSN2.8	12VDC, 2.8A Power Supply (NetLinX) (regulated, 110/220VAC input, 3.5 mm 2 pin Phoenix Connector)		1 Year	US
132-8	PSN6.5	12VDC, 6.5A Power Supply (regulated, 110/220VAC input)		1 Year	US
132-8	FG423-05	12VDC, 2.8A Power Supply (Axxess) (regulated, 110/220VAC input, 3.5 mm 2 pin Phoenix Connector)		1 Year	US
132-8	FG423-11	12VDC, 2.8A Power Supply (ViewPoint) (regulated, 110/220VAC input, 2.1 mm barrel plug)		1 Year	US
132-8	PS4.4	12VDC, 4.4A Power Supply (MVP's and MVP-TDS) (regulated, 110/220VAC input, 6.0mm barrel plug)		1 Year	US
132-8	PSN.4	Power Supply for MVP-WDS Docking Station		1 Year	US
132-8	PS-PT2	24 VDC, 1.6 A Power Supply (regulated, 110/220 VAC input)		1 Year	US
132-8	PS24VAC	ViewStat 24VAC Power Supply		1 Year	US
<b>AMX Standard 10 ft. Third Party Cables</b>					
(Please call SIGCOM for quote on longer length cables)					
132-8	CC-IRC	IR Emitter Cable (Please specify third party device)		1 Year	US
132-8	CC-NIRC	NetLinX IR Emitter Cable (Please specify third party device)		1 Year	US
132-8	CC-IRX	CC-IR AMX TV Sensor Cable		1 Year	US
132-8	CC-COM	AMX Programming Cable (9-Pin to 9-Pin)		1 Year	US
132-8	CC-232	Serial Communication Cable - Please specify third party device		1 Year	US
132-8	CC-USB	USB Programming Cable for CV7 and MVP		1 Year	US
<b>Mounting Hardware</b>					
132-8	CSB	Cable Support Bracket (NetLinX, Xcent3, and AXF-MINI)		3 Years	US
132-8	CSB2	Cable Support Bracket (AXF-BP)		3 Years	US
132-8	AC-RK	Accessory Rack Kit (3 module capacity, single rack unit height)		3 Years	US
132-8	AC-RK3	Extended Length Rack Mount (AXCENT3)		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
132-8	TMX-CB	Cable Security Bracket for AXB-TMC/TMX+		3 Years	US
132-8	TMX-RK+	Rack Mount Kit for AXB-TMC/TMX+		3 Years	US
132-8	TMX-SM	Surface Mounting Kit for AXB-TMC/TMX+		3 Years	US
<b>Special Services</b>					
132-8	CL-EN	Digitization and Placement (custom logo or graphic)		1 Year	US
132-8	LP-EN	Placement from Existing File (custom logo or graphic)		1 Year	US
132-8	REN-ACF	Reverse Engraved Additional Color (per color)		1 Year	US
132-8	REN-TP	Engraved Overlay, Touch Panel (Rackmount Panels)		1 Year	US
132-8	REN-16	Engraved Overlay, 1-16 Buttons		1 Year	US
132-8	REN-32	Engraved Overlay, 17-32 Buttons		1 Year	US
132-8	REN-64	Engraved Overlay, 33-64 Buttons		1 Year	US
<b>ViewStat Communicating Thermostat System</b>					
132-8	VST	ViewStat Thermostat with MiniVerter		3 Years	US
132-8	VST-TSTAT	ViewStat Thermostat		3 Years	US
132-8	VST-MVRT	MiniVerter		3 Years	US
132-8	VST-DIST	Distribution Panel		3 Years	US
132-8	VST-TTM	ViewStat Dual Temperature Support Module		3 Years	US
132-8	VST-TRH	ViewStat Temperature-Humidity Support Module		3 Years	US
132-8	VST-TSF	ViewStat Remote Temperature Sensor, Indoor Flush Mount		3 Years	US
132-8	VST-TSO	ViewStat Remote Temperature Sensor, Outdoor/Duct Mount		3 Years	US
132-8	PS24VAC	24VAC Power Supply		1 Year	US
<b>Equipment Protection</b>					
132-8	NXA-UPS9510	Uninterruptible Power System with surge protection and power outage support. 1000/650 VA/W capacity (120V/240V Input, Output is 120V to 8 NEMA 5-15R Outlets)		3 Years	US
132-8	NXA-MPS16F	Multi-Port Surge Protection for RJ45 communications ports (Port 1 - Ethernet, Ports 2-16 -NetLinx Protocols)		3 Years	US
132-8	NXA-TSJ45	Individual Node Surge Protection		3 Years	US
<b>Multi-Media Server (MMS)</b>					
132-8	MAX-MMS-01S	625 CD / 25 DVD Capacity with 2 audio zone outputs		3 Years	US
132-8	MAX-MMS-02S	1250 CD / 50 DVD Capacity with 2 audio zone outputs		3 Years	US
132-8	MAX-MMS-02SB	625 CD / 25 DVD Capacity with 2 audio zone outputs w/RAID backup		3 Years	US
132-8	MAX-MMS-04S	1250 DC / 100 DVD Capacity with RAID 5 Backup, 4 Hot Swappable Disk Drives, and Ethernet Out		3 Years	US
132-8	MAX-MMS-12S	7500 DC / 300 DVD Capacity with RAID 5 Backup		3 Years	US
132-8	MAX-MMS 900M	900 DVD Capacity Raid 5 Backup, Ethernet Out		3 Years	US
<b>Audio Only Module (AOM)</b>					
132-8	MAX-AOM	Audio Only Module that support 4 Audio Zones (USB Connection to MMS-xxS Servers)		3 Years	US
132-8	MAX-AOM-EX	Expansion Audio Only Module that mounts beside the MAX-AOM and support 4 additional Audio Zones (USB Connection to MMS-xxS Servers)		3 Years	US
<b>Audio/Video Module (AVM) - Need 1 for each output zone of (MMS)</b>					
132-8	MAX-AVM	Audio and Video output, Ethernet in		3 Years	US
<b>Intergrated Music Server (IMS)</b>					
132-8	MAX-IMS500-2	500 CD Capacity, 2 audio outputs		3 Years	US
132-8	MAX-IMS500-4	500 CD Capacity, 4 audio outputs		3 Years	US
132-8	MAX-IMS1000-2	1000 CD Capacity, 2 audio outputs		3 Years	US
132-8	MAX-IMS1000-4	1000 CD Capacity, 4 audio outputs		3 Years	US
132-8	MAX-IMS 1500-2	1500 CD Capacity, 2 audio outputs		3 Years	US
132-8	MAX-IMS 1500-4	1500 CD Capacity, 4 audio outputs		3 Years	US
132-8	MAX-IMS 2500-2	2500 CD Capacity, 2 audio outputs		3 Years	US
132-8	MAX-IMS 2500-4	2500 CD Capacity, 4 audio outputs		3 Years	US
<b>Multi-Media Server (MMS)</b>					
132-8	MAX-MMS 125	125 DVD Capacity Raid 5 backup, Ethernet out		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
132-8	MAX-MMS 200	200 DVD Capacity Raid 5 backup, Ethernet out		3 Years	US
132-8	MAX-MMS 300	300 DVD Capacity Raid 5 backup, Ethernet out		3 Years	US
132-8	MAX-MMS 350	350 DVD Capacity Raid 5 backup, Ethernet out		3 Years	US
132-8	MAX-MMS 400M	400 DVD Capacity Raid 5 backup, Ethernet out		3 Years	US
<b>Backup Storage Module (BSM)</b>					
132-8	MAX-BSM500	Automated Backup of up to 500 CDs		3 Years	US
132-8	MAX-BSM1000	Automated Backup of up to 1000 CDs		3 Years	US
132-8	MAX-BSM1500	Automated Backup of up to 1500 CDs		3 Years	US
132-8	MAX-BSM2500	Automated Backup of up to 2500 CDs		3 Years	US
<b>AMX InConcert with Lutron</b>					
132-8	ALD-D48	Dimmer Interface		3 Years	US
132-8	ALD-1000D	Lutron 1000 Watt lighting dimmer		3 Years	US
132-8	ALD-600D	Lutron 600 Watt lighting dimmer		3 Years	US
132-8	ALD-1000NS	Lutron 1000 Watt lighting switch		3 Years	US
132-8	ALD-VETS-R	Lutron Auxiliary Switch		3 Years	US
132-8	ALD-VWP-2	Lutron 2 Gang Wall plate		3 Years	US
132-8	ALD-VWP-3	Lutron 3 Gang Wall plate		3 Years	US
132-8	ALD-VWP-4	Lutron 4 Gang Wall plate		3 Years	US
<b>Radia Lighting Control Enclosures</b>					
132-8	RDA-ENC2	2-space enclosure		3 Years	US
132-8	RDA-ENC4	4-space enclosure		3 Years	US
132-8	RDA-ENC6	6-space enclosure		3 Years	US
132-8	RDA-ENC8W	8-Space Enclosure		3 Years	US
132-8	RDA-ENC6B / 120	6-Space Enclosure with Breakers (120VAC)		3 Years	US
132-8	RDA-ENC6B / 240	6-Space Enclosure with Breakers (240VAC)		3 Years	US
132-8	RDA-ENC12B / 120	6-Space Enclosure with 12 Breakers (120VAC)		3 Years	US
132-8	RDA-ENC12B / 240	6-Space Enclosure with 12 Breakers (240VAC)		3 Years	US
<b>Radia Control Cards</b>					
132-8	RDC-DC/120	Radia Control Card, 6 Channel Dimmer (120VAC)		3 Years	US
132-8	RDC-DC/240	Radia Control Card, 6 Channel Dimmer (240VAC)		3 Years	US
132-8	RDC-DC/277	Radia Control Card, 6 Channel Dimmer (277VAC)		3 Years	US
132-8	RDC-PDC/120	Radia Pro Control Card, dual or three phase (120VAC)		3 Years	US
132-8	RDC-PDC/240	Radia Pro Control Card, dual or three phase (240VAC)		3 Years	US
<b>Integrated Dimmer Modules</b>					
132-8	RDD-DM6/120	6-Channel Integrated Dimmer Module (120VAC)		3 Years	US
132-8	RDD-DM6/240	6-Channel Integrated Dimmer Module (240VAC)		3 Years	US
132-8	RDD-DM6/277	6-Channel Integrated Dimmer Module (277VAC)		3 Years	US
132-8	RDD-DM4/120	4-Channel Integrated Dimmer Module (120VAC)		3 Years	US
132-8	RDD-DM4/240	4-Channel Integrated Dimmer Module (240VAC)		3 Years	US
132-8	RDD-DM4/277	4-Channel Integrated Dimmer Module (277VAC)		3 Years	US
<b>Radia Dimmer Modules</b>					
132-8	RDM-INC	Incandescent Dimmer Module, 2400 W		3 Years	US
132-8	RDM-2INC	Dual Incandescent Dimmer Module, 2400 W (x2)		3 Years	US
132-8	RDM-INC50	Incandescent Dimmer Module, 6000 W		3 Years	US
132-8	RDM-MDM	Multimodule Dimmer Module, 2400 W		3 Years	US
132-8	RDM-DC	DC Module, 1920W, 0-10VDC		3 Years	US
132-8	RDM-2DC	Dual DC Module, 1920W (x2), 0-10VDC		3 Years	US
132-8	RDM-3DC	Triple DC Module, 1920W (x3), 0-10VDC		3 Years	US
132-8	RDM-HDC	Heavy Duty DC Module, 2400W, 0-12 VDC		3 Years	US
132-8	RDM-FDB	FDB Module, 1920 W		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
132-8	RDM-2FDB	Dual FDB Module, 1920 W (x2)		3 Years	US
132-8	RDM-3FDB	Triple FDB Module, 1920 W (x3)		3 Years	US
132-8	RDM-HFDB	Heavy Duty FDB Module, 2400 W		3 Years	US
<b>Radia Switch Modules</b>					
132-8	RDM-3EM	3 Circuit Switching Module (up to 20 amps)		3 Years	US
132-8	RDM-6EM	6 Circuit Switching Module (up to 20 amps)		3 Years	US
132-8	RDM-SWM	Switch Module, 2400W		3 Years	US
132-8	RDM-2SWM	Dual Switch Module, 2400W (x2)		3 Years	US
132-8	RDM-3SWM	Triple Switch Module, 2400W (x3)		3 Years	US
132-8	RDM-DPSM	Double Pole Single Throw Module, 20A		3 Years	US
132-8	RDM-ZC	Zero Cross Module, 2400W		3 Years	US
132-8	RDM-2ZC	Dual Zero Cross Module, 2400W (x2)		3 Years	US
132-8	RDM-ZC50	Zero Cross Module, 6000W		3 Years	US
<b>Pro Dimmer Kits</b>					
132-8	RDK-ENC6B/120	6 Channel Pro Dimmer Kit 120VAC (includes: RDC-PDC/ 120, RDA-ENC6B/ 120)		3 Years	US
132-8	RDK-ENC6B/240	6 Channel Pro Dimmer Kit 240VAC (includes: RDC-PDC/ 240, RDA-ENC6B/240)		3 Years	US
132-8	RDK-ENC12B/120	12 Channel Pro Dimmer Kit 120VAC (includes: (x2) RDC-PDC/120, RDA-ENC12B/120)		3 Years	US
132-8	RDK-ENC12B/240	12 Channel Pro Dimmer Kit 240VAC (includes: (x2) RDC-PDC/240, RDA-ENC12B/240)		3 Years	US
<b>Dimmer Accessories</b>					
132-8	RDA-PSM	12 VDC 2.5 Amp power supply module		1 Year	US
132-8	RDA-CKM	Dual Choke Module		3 Years	US
132-8	RDA-DIV	Module divider		3 Years	US
132-8	RDA-EFP	Enclosure filler plate		3 Years	US
<b>Radia PROLink Wall Panels</b>					
132-8	PRO-DP8	PROLink Wall Panel, single gang (Specify Black, White or Ivory)		3 Years	US
132-8	PRO-DP16	PROLink Wall Panel, 2 gang (Specify Black, White or Ivory)		3 Years	US
<b>Camera Controllers</b>					
132-8	AXP-PLV	PosiTrack Pilot Controller		3 Years	US
132-8	AXP-CCS	Softwire Camera Center		3 Years	US
132-8	AXM-CCS	Rack-Mount Softwire Camera Center		3 Years	US
<b>PosiTrack Pan/Tilt Heads</b>					
132-8	AXB-PT15	PosiTrack Camera Controller, 15lb (AXLink)		1 Year	US
132-8	AXB-PT30	PosiTrack Camera Controller, 30lb (AXLink)		1 Year	US
<b>Camera Control Accessories</b>					
132-8	WM-CAM	PosiTrack Wall or Ceiling Mount		3 Years	US
132-8	PM-CAM	PosiTrack Pedestal Mount		3 Years	US
132-8	TM-CAM	PosiTrack Tripod Mount Adapter		3 Years	US
<b>ViewPoint Xpress 2-Way Wireless Systems</b>					
Includes ViewPoint Wireless Touch Panel (VPN-CP) with charging power supply (PS2.8), NiMH battery pack (VPA-BP), Axcnet 3 (AXCENT3), power supply (PS2.8), RF NetWave receiver (AXR-NWS), programming cable and 4 IR Emitters.					
132-8	VPX-CPNW	ViewPoint Xpress Color System (NetWave 2-way 2.4 GHz RF)		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
<b>ViewPoint Xpress 1-Way Wireless Systems</b>					
Includes ViewPoint Wireless Touch Panel (VPT-CP) with charging power supply (PS2.8), NiMH battery pack (VPA-BP), Axcnt 3 (AXCENT3), power supply (PS2.8), IR or RF AXLink receiver (AXD-IR, AXR-RF), programming cable and 4 IR Emitters.					
132-8	VPX-CP	ViewPoint Xpress Color System, 1-way RF (Specify required frequency: 304, 310, 315, 418, 433 MHz; 1-way RF).		3 & 1*	US
132-8	VPX-CPIR	ViewPoint Xpress Color System (38/455 kHz, IR Only)		3 & 1*	US
<b>Axcnt 3</b>					
132-8	AXCENT <sup>3</sup> 1-3	Integrated AXCESS System (quantity 1-3)		3 Years	US
132-8	AXCENT <sup>3</sup> 4-11	Integrated AXCESS System (quantity 4-11)		3 Years	US
132-8	AXCENT <sup>3</sup> 12+	Integrated AXCESS System (quantity 12+)		3 Years	US
132-8	AXCENT <sup>3</sup> PRO 1-3	Integrated AXCESS ControlFrame (quantity 1-3)		3 Years	US
132-8	AXCENT <sup>3</sup> PRO 4-11	Integrated AXCESS ControlFrame (quantity 4-11)		3 Years	US
132-8	AXCENT <sup>3</sup> PRO 12+	Integrated AXCESS ControlFrame (quantity 12+)		3 Years	US
132-8	AXB-EM232	Enhanced Master/RS-232 Controller		3 Years	US
<b>AXCESS Card Frames</b>					
132-8	AXF-M/S	Master CardFrame (with AXC-EM and AXC-S cards)		3 Years	US
132-8	AXF-S	Server CardFrame (with AXC-S card)		3 Years	US
132-8	AXF-MINI	Mini-CardFrame (up to 3 AXC-control cards)		3 Years	US
132-8	AXB-MPE+	Master Port Expander (with AXC-EM card)		3 Years	US
132-8	AXB-SPE	Server Port Expander (requires AXB-MPE)		3 Years	US
<b>Axcnt Processor Cards</b>					
132-8	AXC-EM	Enhanced System Master Card		3 Years	US
132-8	AXC-S	CardFrame Server Card		3 Years	US
<b>Data Control Cards</b>					
132-8	AXC-232	RS-232/422/485 Interface Card		3 Years	US
132-8	AXC-232++	RS-232/422/485 Interface Card (enhanced functionality)		3 Years	US
132-8	AXC-IR/S	IR/Serial Card (includes IR Emitter)		3 Years	US
132-8	AXC-SMP	SMPTE Time Code Card		3 Years	US
132-8	AXC-MIDI	MIDI Interface Card (with one MIDI cable)		3 Years	US
132-8	AXC-X10	X-10 Interface Card (includes power line module)		3 Years	US
<b>Contact Closure Cards</b>					
132-8	AXC-INP8	8 Input Card (8 switch/opto-logic voltage inputs)		3 Years	US
132-8	AXC-REL8	8 Relay Card (independent relay commons)		3 Years	US
132-8	AXC-REL14	14 Relay Card (single common or 2 groups of 7 relays)		3 Years	US
132-8	AXC-SAV	SAV Slide Projector Card (SAV series)		3 Years	US
132-8	AXC-SLD	Slide Projector Card (US Kodak series)		3 Years	US
<b>Audio Control Cards</b>					
132-8	AXC-VOL	2-Channel Volume Control Card (line-level audio)		3 Years	US
<b>Voltage Ramp Cards</b>					
132-8	AXC-PTI	Pan/Tilt Interface Card (requires pan/tilt power supply)		3 Years	US
132-8	AXC-VAI2	Voltage Output/Analog Input Card (2 voltage outputs, 2 analog inputs)		3 Years	US
132-8	AXC-VG24	Voltage Ramp Generator Card (4 voltage outputs, 0/+24 VDC)		3 Years	US
132-8	AXC-VRG4	Voltage Ramp Generator Card (4 voltage outputs, -12/+12 VDC)		3 Years	US
<b>Special Application Cards</b>					
132-8	AXC-EXTN	Extender Card		3 Years	US
132-8	AXC-TEMP	Temperature Control Card (includes RTS-1 sensor)		3 Years	US
<b>Data Controllers</b>					
132-8	AXB-232++	RS-232/422 Interface (enhanced functionality)		3 Years	US



SIN	Product Number	Description	GSA Price	Warranty	COO
132-8	AXB-DMX512	DMX 512 Interface		3 Years	US
132-8	AXB-DTMF+	DTMF Interface		3 Years	US
132-8	AXB-IRS4	IR/Serial Interface, 4 Ports		3 Years	US
132-8	AXB-MIDI	MIDI Interface		3 Years	US
132-8	AXB-PCCOM	AXlink-to-PC Communications Port Interface		3 Years	US
132-8	AXB-TC	Television Controller		3 Years	US
132-8	AXB-TCR	Television Controller/Receiver (38 kHz IR)		3 Years	US
132-8	AXB-TM5	Television Manager (38/455 kHz IR)		3 Years	US
132-8	AXB-TMC	Television Manager+, with clock (38/455 kHz IR)		3 Years	US
132-8	AXB-TMX+	Television Manager+, (38/455 kHz IR)		3 Years	US
<b>Audio Controllers</b>					
132-8	AXB-VOL3	3-Channel Volume Controller (line-level audio)		3 Years	US
<b>Contact Closure Controllers</b>					
132-8	AXB-REL8	Relay Controller (8 relays, independent commons)		3 Years	US
132-8	AXB-SLD	Slide Controller (120 VAC only, includes US Kodak cable)		3 Years	US
<b>MX Single Projector Controllers</b>					
132-8	MX2 (1-3)	Fwd, Rev (Quantity: 1-3)		1 Year	US
132-8	MX2 (4-11)	Fwd, Rev (Quantity: 4-11)		1 Year	US
132-8	MX2 (12+)	Fwd, Rev (Quantity: 12+)		1 Year	US
132-8	MX3 (1-3)	Fwd, Rev, On/Off (Quantity: 1-3)		1 Year	US
132-8	MX3 (4-11)	Fwd, Rev, On/Off (Quantity: 4-11)		1 Year	US
132-8	MX3 (12+)	Fwd, Rev, On/Off (Quantity: 12+)		1 Year	US
132-8	MX4 (1-3)	Fwd, Rev, Focus In/Out (Quantity: 1-3)		1 Year	US
132-8	MX4 (4-11)	Fwd, Rev, Focus In/Out (Quantity: 4-11)		1 Year	US
132-8	MX4 (12+)	Fwd, Rev, Focus In/Out (Quantity: 12+)		1 Year	US
132-8	MX4A (1-3)	Fwd, Rev, Focus In/Out, On/Off (Quantity: 1-3)		1 Year	US
132-8	MX4A (4-11)	Fwd, Rev, Focus In/Out, On/Off (Quantity: 4-11)		1 Year	US
132-8	MX4A (12+)	Fwd, Rev, Focus In/Out, On/Off (Quantity: 12+)		1 Year	US
<b>MX Dual Projector Controller</b>					
132-8	MX12	Fwd, Rev, Focus In/Out, On/Off, Dual Fwd, Dual Rev - 2 Projectors		1 Year	US
<b>Transmitters Only</b>					
132-8	MX12TX	12 Buttons, 12 Functions		1 Year	US
<b>MX Accessories</b>					
132-8	MX-PS	Power Supply 13.5 VAC 520 mA (for MX2 and MX4 series)		1 Year	US
132-8	MX8	RF Relay Receiver, 8 Relays (includes TXC16+ and power supply-MX-PS)		1 Year	US
132-8	MX16	RF Relay Receiver, 16 Relays (includes TXC16+) (includes TXC16+ and power supply - MX-PS)		1 Year	US
132-8	MX8-IRX	IR Relay Receiver, 8 Relays (includes TXC16+, IRX-DM+ and power supply - MX-PS)		1 Year	US
132-8	MX16-IRX	IR Relay Receiver, 16 Relays (includes TXC16+, IRX-DM+ and power supply - MX-PS)		1 Year	US
<b>PC Presenter - Controllers</b>					
132-8	PC PRESENTER	PC Presenter, Presenter System (Specify required frequency: 315, 418, 433 MHz)		1 Year	US
132-8	PC PRESENTER LP	PC Presenter, Presenter System w/Laser Pointer. (includes TXC-MSL, AXR-MOUSE, 12VDC PS (Specify required frequency: 315, 418, 433 MHz)		1 Year	US
132-8	AXR-MSE	AXR-MOUSE, Wireless Mouse (Available frequency 315, 418, 433 MHz)		1 Year	US
132-8	TXC-MS	Transmitter - Available in three frequency options - 316,418,455 MHz		1 Year	US
132-8	TXC-MSL	Laser Transmitter - Available in 3 frequency options - 316, 418, 455 MHz		1 Year	US

\* Warranty note: "3 & 1" indicates a 3 year warranty on electroluminescent and LCD control panels and a 1 year warranty on the display and touch overlay components